



FEDERAL MINISTRY OF  
HEALTH

# MONITORING AND IMPROVING ESSENTIAL HEALTH SERVICE PROVISION IN NIGERIA

STATE DATA PACKET  
MARCH 2022





# Monitoring Essential Health Services in Nigeria: State Profiles

## A. Executive Summary

Nigeria has experienced substantial and persistent disruptions to essential health services since the start of the COVID-19 pandemic. However, there are notable subnational and service-specific variations in these disruptions. The key findings from this report are:

- All states (except for Adamawa) experienced disruptions to at least one essential health service compared to what is expected from pre-pandemic trends.
- Total outpatient consultations were the most disrupted service during the pandemic; 20 states experienced major cumulative disruptions and another 8 states experienced minor disruptions to service volumes since the beginning of the pandemic.
- Nationwide, the largest service disruptions to outpatient consultations occurred in May 2021.
- Institutional delivery and ANC4 are the most disrupted reproductive, maternal, newborn, and child health services.
- Taraba (9 services), Yobe (8 services), Borno, and Delta (6 services each), had the most services with major cumulative disruptions since the beginning of the pandemic.
- Abia, Adamawa, Benue, Cross River, Kaduna, and Kano had no services with major cumulative disruptions since the beginning of the pandemic.
- States and LGAs in the North East geopolitical zone and the south of the country continue to experience major service disruptions.
- States and LGAs in the North West geopolitical zone are currently experiencing minimal service disruptions.
- Even within states that did not experience disruptions to outpatient volumes, there are some LGAs that reported major disruptions.

## B. Introduction

The SARS-CoV-2 (COVID-19) pandemic threatens to reverse years of progress in reducing maternal and child deaths in Nigeria. In addition to the direct impact of COVID-19 on morbidity and mortality, the pandemic has caused major indirect impacts on health through severe disruptions to the delivery and use of routine essential health services, including reproductive, maternal, newborn and child health (RMNCH) services. To understand and mitigate the true impact of COVID-19, the Federal Ministry of Health (FmoH) with support from the Global Financing Facility for Women, Children, and Adolescents (GFF) and the World Bank, has been monitoring essential health service utilization through administrative data.

Monitoring the effects of the COVID-19 pandemic on health service utilization is necessary to inform response efforts and guide policies. Overall, this monitoring activity helps to prevent increases in morbidity and mortality due to changes in service delivery during a crisis. Specifically, monitoring essential health service utilization supports resilient health systems by promoting increased health systems awareness, providing evidence to support resource mobilization and successful service adaptation, and ensuring that vulnerable groups are not disproportionately affected by the pandemic.

Disruptions to essential health services have been estimated and shared at the national level since the start of the pandemic. This document represents the first attempt to demonstrate the impacts of COVID-19 on essential health services at the subnational level. The purpose of these state profiles is to facilitate conversations with policymakers and promote translation of this data for local action and health systems strengthening in Nigeria.

## C. Methods

Data on service utilization from January 2018 to January 2022 is extracted from Nigeria's health management information system, using the District Health Information Software (DHIS2). Data cleaning processes remove outliers and facilities that do not report data to DHIS2 from analysis. Twelve service indicators are analyzed to represent disruptions to services across the maternal and child health continuum: first antenatal care visit; fourth antenatal care visit; full course of Bacillus Calmette–Guérin vaccination; institutional delivery; treatment of child diarrhea; exclusive breast feeding; total family planning consultations; hypertension diagnosis; measles vaccination; outpatient department consultations; third dose of pentavalent vaccination; and first postnatal care visit. An interrupted time series design is used to estimate the percent change in the volumes of essential health services delivered during the pandemic compared to projected volumes based on pre-pandemic trends at the state level. The monthly and cumulative estimated shortfalls for each indicator are reported by indicator and by state. For more information on the methods used to generate this report, see "Disruptions in maternal and child health service utilization during COVID-19: analysis from eight sub-Saharan African countries" by Shapira et al. in the journal of *Health Policy and Planning*.






## D. Reading Guide

This document presents state- and local government area (LGA)- level estimates of the impact of COVID-19 on essential health service utilization in Nigeria between March 2020 and January 2022. Disruptions in essential health service utilization are presented separately for each of Nigeria's 36 states and the Federal Capital Territory in a "state profile". Each state profile contains the following information, which can be found in the following example:

- **Figure A.** This figure shows monthly disruptions in outpatient visits (OPD) during the COVID-19 pandemic. Outpatient visits are the proxy indicator for general health service utilization and are usually the highest quality indicator reported by health facilities. The number of facilities included in the analysis is shown in parenthesis next to the figure title. The cumulative percent difference in expected and actual service volume between March 2020 and January 2022 is reported below the title, with a negative percentage representing a shortfall and a positive percentage representing a surplus. In the graph, the black line corresponds to observed service volumes, and the red-filled area shows the difference between observed and predicted utilization levels based on pre-pandemic trends (i.e., shortfalls). Positive differences (i.e., service volumes higher than expected) are represented by a green shaded area. The red vertical line represents March 2020, symbolizing the beginning of the pandemic. The grey shaded area at the bottom of the graph represents the relative number of COVID-19 cases reported for that state between March 2020 through July 2021 (state-specific data was not available after this point). Data used in this graph are sourced from Humanitarian Emergency Response Africa (HERA). The grey area should be interpreted in conjunction with the above line graph for a visual reference of service utilization disruptions against the COVID-19 burden within the state.
- **Figure B.** This figure provides a snapshot of the cumulative and most recent disruptions to essential health services in a state. The left column represents cumulative disruptions to a service between March 2020 and January 2022. The right column represents disruptions in the last month where data was available (usually January 2022). Services that have less than a 5% shortfall (including any surplus) are presented in green, indicating "no disruption". Services that have between a 5% and 15% shortfall are presented in yellow, indicating a "minor disruption". Services that have more than a 15% shortfall are presented in red, indicating a "major disruption".

# KANO






## Profile of Essential Health Service Utilization



- **Figure C.** This figure maps the latest available disruptions in outpatient visits within each LGA of the state. This demonstrates the within-state differences of COVID-19's impact on health service utilization, as different LGAs may exhibit distinct patterns and levels of service disruptions. Estimates are reported for the latest timepoint for which HMIS data are available (January 2022 for most states). The breakdowns for disruptions mirror those in Figure B (no disruption in green, minor disruption in yellow, and major disruption in red). Some LGAs may not be included in the map if there is insufficient data to calculate service volume disruptions in any month.
- **Figure D.** This figure reports statewide data completeness trends for all essential health service indicators from January 2018 to January 2022. Values presented in this graph correspond to the share of facilities that reported non-missing data on a given month out of the total number of facilities reporting data to DHIS2 from the state. Data points for which completeness falls below 10% are not included in any analysis that appears on the state profile. Other completeness patterns (such as large changes in completeness from one month to the next) may also affect the reliability of estimates and should be examined on a case-by-case basis.
- **Figure E.** This figure benchmarks the percent disruption in seven of the selected core indicators against the corresponding state-level 25<sup>th</sup> and 75<sup>th</sup> percentile disruptions. A median disruption of 0% corresponds to the expected service volume based on pre-pandemic trends. The red line shows the disruption estimate in the state over time, while the top and bottom grey lines show the disruptions in the 25% of all states that experienced the least and the most severe shortfalls, respectively. When the red line is above the upper grey line, the state experienced disruptions that were smaller than most other states (including service volumes that were higher than expected). When the red line is below the lower grey line, the state experienced disruptions that were more severe than most other states. When the red line is between the two grey lines, the state experienced disruptions that were similar to most other states.

# KANO

## Profile of Essential Health Service Utilization




- **Figure F.** This figure shows the service disruptions over time for nine essential health services. In parenthesis are the number of health facilities included in analysis. The cumulative percent difference in expected and actual service volume between March 2020 and January 2022 is reported below the title, with a negative percentage representing a shortfall and a positive percentage representing a surplus. Each graph should be interpreted in the same manner as Figure A (the black line corresponds to observed service volumes, red-filled areas represent service shortfalls, and green-filled areas represent service surpluses). Please review the data completeness trends (Figure D) for each of these indicators when interpreting service shortfalls and surpluses.
- **Table A.** This table lists the monthly disruption estimates for each of the essential health services. When numbers are black, the estimated disruption or surplus is statistically significantly different from the expected value. Table boxes are blank when disruption estimates could not be computed due to insufficient data availability. Cumulative disruptions (corresponding to the overall disruption level in the pandemic period) are reported on the bottom row of the table.

### Figure F

#### Family Planning (1,233 HFIs)


Cumulative shortfall: 15.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### ANC1 (1,270 HFIs)


Cumulative shortfall: -4.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### ANC4 (1,236 HFIs)


Cumulative shortfall: 9.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### Delivery (406 HFIs)


Cumulative shortfall: -6.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### EBF (757 HFIs)


Cumulative shortfall: 12.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### BCG (1,275 HFIs)


Cumulative shortfall: -0.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### Hyper tension (1,015 HFIs)


Cumulative shortfall: -3.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### Penta 3 (1,273 HFIs)


Cumulative shortfall: -6.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

#### Measles 1 (1,273 HFIs)

Cumulative shortfall: -12.8%




Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Table A

	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	10%	3%	-15%	-12%	-10%	12%	9%	2%	0%	5%	3%	22%
Apr 20	-3%	-28%	-19%		-5%	6%	-16%	-19%	-15%	2%	6%	-1%
May 20	-20%				-10%	7%	-24%	-28%	-26%	-17%	-7%	
Jun 20	-6%	50%	3%	-7%	6%	50%	9%	3%	0%	-1%	-3%	22%
Jul 20	-21%	-15%	26%	-5%	-6%	28%	-7%	-12%	-8%	-11%	-4%	5%
Aug 20	-21%	14%	41%	3%	-12%	-36%	-5%	-16%	-14%	-17%	-4%	21%
Sep 20	-21%	-5%	57%	0%	22%	52%	6%	-5%	1%	-1%	-11%	22%
Oct 20	-16%	-2%	23%	3%	14%	14%	-4%	-1%	-4%	-6%	0%	2%
Nov 20	-7%	12%	38%	0%	13%	-18%	0%	-4%	-1%	-4%	5%	13%
Dec 20	-4%	-9%	24%	-7%	12%	65%	23%	17%	12%	9%	10%	23%
Jan 21	-12%	-15%	-23%	-8%		12%	-9%	-21%	-12%	2%	3%	11%
Feb 21	-17%	-20%	-28%	-12%	8%	-19%	1%	-17%	-4%	-2%	11%	2%
Mar 21	-11%	2%	-7%	-27%		5%	7%	-11%	-3%	11%	7%	23%
Apr 21	-11%	-19%	-7%	-1%		-7%	-12%	-23%	-15%	1%	-11%	17%
May 21	-10%	13%	-4%	-6%	25%	18%	-7%	-23%	-15%	-8%	-7%	23%
Jun 21	5%	9%	21%	2%	82%	56%	20%	2%	8%	21%	-1%	34%
Jul 21	-27%	-37%	-1%	-5%	48%	7%	-12%	-27%	-16%	0%	-15%	0%
Aug 21	-9%	24%	81%	-3%	81%	-30%	9%	-12%	-5%	20%	-9%	27%
Sep 21	-4%	-7%	45%	-2%	64%	35%	13%	-10%	6%	20%	-7%	24%
Oct 21	-13%	-8%	14%	-6%	71%	3%	-10%	-23%	-14%	-6%	-14%	13%
Nov 21	-4%	18%	66%	-4%	86%	68%	0%	-15%	-7%	-4%	4%	25%
Dec 21	-17%	-23%	2%	-6%	60%	47%	13%	-12%	0%	13%	-4%	13%
Jan 22	-23%	-13%	-9%	-15%	75%	7%	-8%	-25%	-15%	-5%	-11%	11%
<b>Cumulative</b>	<b>-11.9%</b>	<b>-4.2%</b>	<b>9.3%</b>	<b>-6.0%</b>	<b>32.8%</b>	<b>12.2%</b>	<b>-0.7%</b>	<b>-12.8%</b>	<b>-6.7%</b>	<b>0.7%</b>	<b>-3.0%</b>	<b>15.6%</b>




# NIGERIA OPD DISRUPTIONS



-50% 10%

\* Missing LGAs did not report data during the pandemic

# NIGERIA OPD DISRUPTIONS




# | STATE PROFILES

# ABIA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (950 health facilities)


Cumulative shortfall: 3.3%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### ABIA disruptions compared to average range of disruptions in all states




# ABIA

## Profile of Essential Health Service Utilization

### Family Planning (893 HFIs)

Cumulative shortfall: -3.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (928 HFIs)


Cumulative shortfall: 40.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (865 HFIs)


Cumulative shortfall: 24.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (815 HFIs)


Cumulative shortfall: 9.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (864 HFIs)


Cumulative shortfall: 41.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (921 HFIs)


Cumulative shortfall: 2.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (720 HFIs)


Cumulative shortfall: 3.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (922 HFIs)


Cumulative shortfall: -7.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (919 HFIs)

Cumulative shortfall: -8.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	1%	14%	8%	4%	2%	25%	9%	3%	7%	19%	-68%	5%
Apr 20	-14%	1%	6%	1%	4%	29%	5%	-6%	-8%	-10%	409%	-20%
May 20	-1%	8%	-13%	5%	-2%	14%	-2%	-8%	-7%	-20%	46%	-16%
Jun 20	16%	-14%	-3%	-8%	-7%	6%	-1%	-7%	-5%	-15%	40%	-33%
Jul 20	4%	19%	16%	14%	1%	21%	2%	-1%	-4%	-25%	-51%	-11%
Aug 20	2%	27%	16%	8%	-9%	19%	-2%	-11%	-10%	-17%	-62%	16%
Sep 20	12%	26%	27%	7%	-8%	43%	-1%	-10%	-8%	-20%	-60%	32%
Oct 20	-1%	34%	22%	13%	-2%	20%	0%	-11%	-3%	-23%	-99%	36%
Jan 21	-11%	90%	42%	4%	-9%	60%	10%	-1%	-12%	-42%	-99%	34%
Feb 21	9%	29%	-21%	1%	36%	30%	7%	-5%	-10%	-55%	-21%	17%
Mar 21	-10%	38%	-1%	9%	55%	74%	11%	1%	4%	-29%	2279%	6%
Apr 21	1%	24%	9%	13%	24%	129%	7%	-5%	-2%	15%	-140%	-5%
May 21	18%	12%	2%	22%	33%	50%	-2%	-8%	-8%	-4%	46%	-10%
Jun 21	14%	-12%	3%	7%	49%	44%	2%	-9%	-6%	1%	-150%	-47%
Jul 21	14%	63%	21%	26%	40%	34%	-9%	-21%	-15%	-5%	405%	-33%
Aug 21	4%	105%	56%	20%	36%	85%	4%	-11%	-6%	-7%	-168%	14%
Sep 21	7%	89%	43%	13%	44%	79%	-2%	-21%	-12%	-10%	1320%	7%
Oct 21	-2%	121%	64%	1%	17%	63%	-6%	-21%	-14%	0%	-99%	15%
Nov 21	2%	151%	147%	12%	37%	72%	2%	-1%	-11%	-6%	-366%	20%
Dec 21	-17%	97%	101%	18%	43%	11%	16%	-4%	-4%	-14%	-279%	-24%
Jan 22	12%	91%	50%	22%	29%	95%	4%	-16%	-15%	-16%	-338%	26%
<b>Cumulative</b>	<b>3.3%</b>	<b>40.5%</b>	<b>24.4%</b>	<b>9.9%</b>	<b>17.0%</b>	<b>41.1%</b>	<b>2.2%</b>	<b>-8.4%</b>	<b>-7.2%</b>	<b>-14.0%</b>	<b>3.7%</b>	<b>-3.3%</b>

# ADAMAWA

## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (878 health facilities)

Cumulative shortfall: 32.5%




### Affected services


	Total	Recent Month
Outpatient	█	█
ANC1	█	█
ANC4	█	█
Delivery	█	█
PNC	█	█
EBF	█	█
Measles 1	█	█
BCG	█	█
Penta 3	█	█
Diarrhea U5	█	█
Hyper tension	█	█
Family Planning	█	█

█ Major discr.   
 █ Minor discr.   
 █ No disruption


### Outpatient disruptions in January 2022



### Data completeness



### ADAMAWA disruptions compared to average range of disruptions in all states




# ADAMAWA

## Profile of Essential Health Service Utilization

### Family Planning (691 HFIs)

Cumulative shortfall: 35.7%




### ANC1 (710 HFIs)

Cumulative shortfall: 45.6%




### ANC4 (687 HFIs)

Cumulative shortfall: 27.3%




### Delivery (631 HFIs)

Cumulative shortfall: 31.6%




### EBF (651 HFIs)

Cumulative shortfall: 28.6%




### BCG (843 HFIs)

Cumulative shortfall: 19.9%




### Hyper tension (641 HFIs)

Cumulative shortfall: 2.4%




### Penta 3 (849 HFIs)

Cumulative shortfall: 4.9%



### Measles 1 (847 HFIs)

Cumulative shortfall: 16.8%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	8%	15%	-5%	1%	15%	14%	8%	18%	6%	4%	-17%	12%
Apr 20	4%	12%	-1%	-5%	3%	15%	10%	20%	4%	-1%	-11%	-11%
May 20	-1%	9%	-3%	-6%	11%	12%	-5%	9%	-12%	-1%	-13%	-8%
Jun 20	4%	32%	12%	3%	12%	24%	15%	13%	2%	-11%	-16%	20%
Jul 20	21%	-5%	1%	16%	28%	19%	-14%	-9%	-7%	-3%	-1%	14%
Aug 20	18%	33%	6%	17%	145%	24%	14%	7%	2%	21%	26%	25%
Sep 20	18%	46%	17%	18%	154%	16%	16%	15%	5%	38%	3%	28%
Oct 20	6%	24%	10%	18%	159%	17%	7%	8%	-1%	33%	-10%	29%
Nov 20	15%	34%	22%	24%	176%	11%	23%	17%	11%	44%	6%	40%
Dec 20	33%	36%	22%	27%	177%	12%	44%	62%	24%	24%	11%	27%
Jan 21	47%	21%	14%	26%	161%	20%	4%	2%	-1%	26%	17%	39%
Feb 21	37%	44%	18%	28%	173%	11%	20%	6%	5%	48%	24%	36%
Mar 21	44%	69%	30%	32%	202%	25%	27%	24%	9%	34%	2%	42%
Apr 21	67%	55%	28%	33%	219%	35%	30%	27%	6%	48%	14%	23%
May 21	65%	89%	18%	34%	272%	42%	18%	28%	-1%	48%	-4%	20%
Jun 21	59%	72%	44%	48%	269%	37%	37%	25%	12%	42%	-11%	59%
Jul 21	55%	15%	24%	69%	312%	37%	-2%	-6%	-3%	41%	16%	80%
Aug 21	44%	104%	78%	70%	411%	63%	49%	24%	12%	72%	40%	85%
Sep 21	43%	114%	75%	61%	295%	60%	23%	19%	7%	99%	0%	72%
Oct 21	36%	82%	79%	57%	416%	44%	30%	22%	9%	93%	6%	87%
Nov 21	55%	108%	107%	80%	454%	57%	51%	29%	14%	145%	15%	83%
Dec 21	78%	102%	82%	83%	515%	37%	59%	28%	9%	67%	-7%	61%
Jan 22	109%	87%	87%	75%	443%	61%	35%	21%	5%	50%	13%	88%
<b>Cumulative</b>	<b>32.5%</b>	<b>45.6%</b>	<b>27.3%</b>	<b>31.6%</b>	<b>178.6%</b>	<b>28.6%</b>	<b>19.9%</b>	<b>16.8%</b>	<b>4.9%</b>	<b>33.8%</b>	<b>2.4%</b>	<b>35.7%</b>

# AKWA-IBOM


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (598 health facilities)


Cumulative shortfall: -27.3%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### AKWA-IBOM disruptions compared to average range of disruptions in all states




# AKWA-IBOM

## Profile of Essential Health Service Utilization

### Family Planning (499 HFIs)


Cumulative shortfall: 37.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (562 HFIs)


Cumulative shortfall: 19.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (499 HFIs)


Cumulative shortfall: 101.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (335 HFIs)


Cumulative shortfall: -1.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (504 HFIs)


Cumulative shortfall: -2.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (537 HFIs)


Cumulative shortfall: 13.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (477 HFIs)


Cumulative shortfall: -11.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (535 HFIs)

Cumulative shortfall: -0.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (536 HFIs)

Cumulative shortfall: -3.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-7%	10%	21%	12%	40%	-4%	-1%	-7%	-3%	19%	-3%	48%
Apr 20	-33%	-7%	72%	-5%	20%	-17%	-17%	-19%	-17%	-11%	-21%	8%
May 20	-36%	5%	66%	-2%	25%	-10%	-7%	-16%	-12%	-8%	-5%	44%
Jun 20	-27%	18%	174%	-12%	27%	5%	2%	-4%	2%	-6%	-3%	52%
Jul 20	-67%											-23%
Aug 20	-26%	22%	31%	-13%	35%	5%	13%	-3%	-1%	-14%	-9%	56%
Sep 20	-35%	18%	64%	-15%	62%	7%	13%	-4%	3%	-17%	-15%	44%
Oct 20	-26%	21%	103%	-12%	31%	-5%	11%	0%	11%	-11%	-28%	19%
Nov 20	-30%	29%	143%	-15%	107%	5%	22%	0%	18%	-7%	-16%	44%
Dec 20	-28%	23%	149%	-21%	48%	14%	29%	14%	11%	-32%	-6%	50%
Jan 21	-36%	9%	30%	-15%	11%	-7%	7%	0%	2%	-35%	-27%	37%
Feb 21	-31%	20%	11%	10%	104%		5%	-11%	-9%	-38%	-15%	
Mar 21	-29%	32%	64%	11%	527%	-5%	16%	-2%	-1%	-12%	-16%	32%
Apr 21	-27%	22%	86%	10%	181%	-10%	3%	-11%	-10%	-1%	-16%	23%
May 21	-27%	22%	363%	24%	490%	-10%	8%	-12%	-8%	10%	-4%	55%
Jun 21	-22%	38%	163%	23%	337%	9%	29%	12%	16%	11%	1%	19%
Jul 21	-21%	6%	124%	10%	242%	-10%	-1%	-18%	-12%	-4%	-2%	27%
Aug 21	-16%	17%	105%	-7%	341%	-3%	28%	4%	4%	-1%	-4%	25%
Sep 21	-22%	33%	147%	9%	456%	4%	35%	7%	11%	8%	-5%	71%
Oct 21	-23%	0%	176%	-19%	217%	-10%	12%	-14%	-9%	-15%	-24%	49%
Nov 21	-13%	34%	390%	-5%	323%	-8%	29%	-11%	-13%	29%	-9%	54%
Dec 21	-37%	39%	244%	-2%	348%	6%	65%	30%		-22%	-2%	67%
Jan 22	-18%	14%	123%	-11%	284%	-11%	27%	1%	-1%	-8%	-23%	58%
<b>Cumulative</b>	<b>-27.3%</b>	<b>19.0%</b>	<b>101.0%</b>	<b>-1.9%</b>	<b>149.1%</b>	<b>-2.8%</b>	<b>13.2%</b>	<b>-3.5%</b>	<b>-0.9%</b>	<b>-8.1%</b>	<b>-11.8%</b>	<b>37.9%</b>

# ANAMBRA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,007 health facilities)


Cumulative shortfall: 12.2%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### ANAMBRA disruptions compared to average range of disruptions in all states




# ANAMBRA

## Profile of Essential Health Service Utilization


### Family Planning (863 HFIs)

Cumulative shortfall: -0.8%




### ANC1 (948 HFIs)

Cumulative shortfall: 22.9%




### ANC4 (830 HFIs)

Cumulative shortfall: 4.3%




### Delivery (800 HFIs)

Cumulative shortfall: -6.0%




### EBF (846 HFIs)

Cumulative shortfall: 5.1%




### BCG (935 HFIs)

Cumulative shortfall: 70.3%




### Hyper tension (815 HFIs)

Cumulative shortfall: 33.7%




### Penta 3 (936 HFIs)

Cumulative shortfall: 58.7%



### Measles 1 (935 HFIs)

Cumulative shortfall: 47.1%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	22%	1%	-4%	-10%	-3%	14%		10%	14%	-26%	57%	2%
Apr 20	-32%	-3%	-16%	-2%	-3%	-8%				-35%	9%	-11%
May 20	-20%	10%	2%	-8%	9%	-3%	20%	9%	12%	-38%	-11%	6%
Jun 20	1%	-7%	4%	-1%	21%	11%	25%	17%	22%	-35%	56%	-21%
Jul 20	5%	-1%	-2%	-3%	-14%	2%	17%	8%	12%	-44%	25%	2%
Aug 20	17%	22%	22%	-2%	10%	8%	30%	29%	31%	-35%	-12%	34%
Sep 20	2%	30%	28%	-7%	88%	3%	31%	21%	31%	-37%	24%	3%
Oct 20	10%	17%	3%	3%	97%	0%	29%	18%	30%	-40%	-10%	14%
Nov 20	-2%	25%	-7%	10%	101%	-4%	40%	29%	51%	-51%	13%	-12%
Dec 20	41%	51%	4%	-3%	121%	10%	62%	63%	76%	-47%	70%	15%
Jan 21	37%	31%	-1%	-11%	109%	3%	57%	52%	66%	-65%	50%	3%
Feb 21	23%	28%	2%	-11%	101%	20%	74%	57%	77%	-58%	16%	8%
Mar 21	23%	40%	9%	-9%	64%	23%	97%	64%	87%	-33%	30%	7%
Apr 21	4%	31%	12%	1%	82%	-4%	87%	73%	93%	-28%	6%	2%
May 21	1%	37%	0%	-11%			66%	46%	57%	-33%	27%	
Jun 21	36%	14%	8%	-5%		9%	101%	78%	91%	-43%	99%	-25%
Jul 21	36%	18%	-4%	-5%	75%	5%	88%	52%	60%	-49%	94%	-16%
Aug 21	17%	48%	7%	-9%	149%	19%	106%	59%	71%	-45%	22%	17%
Sep 21	24%	43%	15%	-14%	164%	13%	110%	70%	82%	-47%	130%	-15%
Oct 21	17%	41%	1%	-25%	213%	-6%	94%	58%	70%	-49%	50%	-3%
Nov 21	20%	30%	-2%	-7%	254%	-11%	127%	77%	106%	-47%	47%	-15%
Dec 21	7%	80%	20%	-7%	179%	9%	165%	117%	122%	-34%	183%	11%
Jan 22	30%			0%	220%	2%	162%	109%	123%	-53%	40%	
<b>Cumulative</b>	<b>12.2%</b>	<b>22.9%</b>	<b>4.3%</b>	<b>-6.0%</b>	<b>80.1%</b>	<b>5.1%</b>	<b>70.3%</b>	<b>47.1%</b>	<b>58.7%</b>	<b>-44.0%</b>	<b>33.7%</b>	<b>-0.8%</b>

# BAUCHI



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,158 health facilities)


Cumulative shortfall: -31.9%




### Affected services



### Data completeness



### BAUCHI disruptions compared to average range of disruptions in all states



# BAUCHI

## Profile of Essential Health Service Utilization

### Family Planning (924 HFfs)

Cumulative shortfall: -18.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (783 HFfs)


Cumulative shortfall: -13.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (780 HFfs)


Cumulative shortfall: -3.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (756 HFfs)


Cumulative shortfall: -28.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (935 HFfs)


Cumulative shortfall: 6.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,127 HFfs)

Cumulative shortfall: -14.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (1,032 HFfs)


Cumulative shortfall: -18.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,129 HFfs)


Cumulative shortfall: -12.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,127 HFfs)

Cumulative shortfall: -12.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	9%	0%	17%	15%	15%	1%	-1%	3%	-1%	11%	-12%	0%
Apr 20	-6%	-18%	1%	-3%	-7%	26%	-7%	-8%	-7%	2%	-5%	-13%
May 20	-17%	-29%	-17%	-15%	-24%	11%	-18%	-16%	-16%	-13%	-12%	-17%
Jun 20	-20%	-2%	2%	-13%	-20%	6%	-1%	0%	-1%	-10%	-2%	-11%
Jul 20	-27%	-25%	-11%	-23%	-22%	2%	-19%	-12%	-11%	-19%	-20%	-19%
Aug 20	-34%	-13%	-23%	-32%	-33%	-17%	-17%	-11%	-13%	-25%	-13%	-11%
Sep 20	-29%	-15%	-19%	-33%	9%	-25%	-12%	-11%	-10%	-26%	-23%	-12%
Oct 20	-31%	-11%	-6%	-32%	4%	-10%	-12%	-6%	-8%	-21%	-21%	-15%
Nov 20			-4%	-30%		-5%	-16%	-10%	-12%	-21%		-19%
Dec 20			2%	-26%	27%	-5%	2%	25%	0%	-10%		
Jan 21	-30%		-9%	-27%	24%	10%	-20%		-17%			
Feb 21	-37%		-5%	-33%	18%	1%	-10%	-9%	-10%	-29%	-20%	
Mar 21	-31%	-6%	3%	-25%	28%	-2%	-19%	-17%	-15%	-25%	-26%	-19%
Apr 21	-34%	-25%	-11%	-26%	26%	19%	-20%	-20%	-19%	-25%	-23%	-25%
May 21	-35%	-9%	-13%	-33%	16%	19%	-19%	-24%	-21%	-23%	-22%	-24%
Jun 21	-35%	-10%	6%	-32%	18%	25%	-13%	-16%	-12%	-19%	-8%	-19%
Jul 21	-36%	-33%	-11%	-39%	22%	20%	-30%	-28%	-23%	-20%	-19%	-28%
Aug 21	-32%	-12%	-12%	-39%	13%	18%	-20%	-22%	-18%	-19%	-21%	-17%
Sep 21	-36%	-15%	-4%	-38%	18%	-1%	-20%	-17%	-15%	-32%	-23%	-28%
Oct 21	-39%	-13%	6%	-37%	16%	1%	-24%	-25%	-22%	-36%	-27%	-23%
Nov 21	-37%	12%	13%	-33%	24%	40%	-8%	-8%	-9%	-26%	-27%	-21%
Dec 21	-54%	-7%	23%	-33%	21%	6%	-9%	-15%	-10%	-28%	-22%	-19%
Jan 22	-47%	-20%	-3%	-35%	19%	-2%	-16%	-19%	-12%	-32%	-31%	-23%
<b>Cumulative</b>	<b>-31.9%</b>	<b>-13.3%</b>	<b>-3.4%</b>	<b>-28.4%</b>	<b>11.1%</b>	<b>6.4%</b>	<b>-14.6%</b>	<b>-12.5%</b>	<b>-12.5%</b>	<b>-20.9%</b>	<b>-18.9%</b>	<b>-18.7%</b>

# BAYELSA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (277 health facilities)


Cumulative shortfall: -6.3%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### BAYELSA disruptions compared to average range of disruptions in all states




# BAYELSA

## Profile of Essential Health Service Utilization

### Family Planning (236 HFIs)


Cumulative shortfall: -7.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (264 HFIs)


Cumulative shortfall: 804.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (234 HFIs)


Cumulative shortfall: 46.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (211 HFIs)


Cumulative shortfall: 7.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (196 HFIs)


Cumulative shortfall: 86.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (256 HFIs)


Cumulative shortfall: -1044.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (197 HFIs)

Cumulative shortfall: 6.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (256 HFIs)

Cumulative shortfall: -1537.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (255 HFIs)

Cumulative shortfall: 384.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-7%	52%	-3%	8%	-31%	55%				-4%	3%	-11%
Apr 20	-12%	80%	-13%	-10%	106%	36%				-34%	-30%	15%
May 20	-35%	77%	-11%	-10%	-18%	6%	99%	60%	66%	-28%	1%	12%
Jun 20	-16%	228%	9%	-12%	-21%	-18%	92%	59%	164%	-17%	-4%	-5%
Jul 20	-27%	110%	16%	7%	-34%	-15%	94%	30%	56%	31%	-37%	-23%
Aug 20	-22%	18%	-16%	-9%	25%	33%	66%	8%	38%	28%	-30%	-4%
Sep 20	-16%	139%	48%	-4%	9%	26%	605%	104%	267%	-4%	5%	12%
Oct 20	-20%	218%	12%	14%	-39%	43%	178%	98%	188%	6%	-17%	10%
Nov 20	-4%	309%	31%	14%	270%	36%	435%	83%	425%	7%	-10%	-2%
Dec 20	0%	49%	85%	-6%	-7%	18%	-820%	268%	-3593%	-10%	26%	-24%
Jan 21		74%			49%	38%	-6104%	184%	3123%	-17%	-2%	26%
Mar 21		2686%	43%	14%		97%	-408%	700%	-1077%	4%	-10%	-2%
Apr 21	4%	-751%	3%	26%	27%	78%	-637%	-4175%	-406%	-2%	-14%	-1%
May 21	-27%	-393%	25%	-20%	29%	81%	-427%	-978%	-351%	83%	14%	2%
Jun 21	44%	-266%	89%	9%	12%	284%	-417%	-702%	-305%	110%	21%	-15%
Jul 21	31%	-528%	115%	31%	-10%	54%	-635%	459%	-1303%	31%	-26%	-45%
Aug 21	28%	-18893%	65%	27%	14%	337%	-749%	286%	-11444%	52%	275%	-11%
Sep 21	21%	-334%	425%	31%	84%	-5344%	-274%	-1229%	-363%	123%	97%	4%
Oct 21	-19%	-285%	267%	5%	-30%	-1391%	-359%	-629%	-349%	22%	10%	-7%
Nov 21	12%	-426%	208%	27%	845%	-3786%	-277%	-1351%	-288%	3%	35%	-1%
Dec 21	-5%	980%	205%	30%	35%	279%	-222%	-491%	-259%	27%	106%	-33%
Jan 22	30%	-1897%	772%	21%	486%	-900%	-263%	-664%	-273%	-25%	172%	25%
<b>Cumulative</b>	<b>-6.3%</b>	<b>804.0%</b>	<b>46.5%</b>	<b>7.2%</b>	<b>16.7%</b>	<b>86.8%</b>	<b>-1044.7%</b>	<b>384.5%</b>	<b>-1537.0%</b>	<b>8.5%</b>	<b>6.5%</b>	<b>-7.2%</b>

# BENUE


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,310 health facilities)


Cumulative shortfall: 2.8%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### BENUE disruptions compared to average range of disruptions in all states




# BENUE

## Profile of Essential Health Service Utilization

### Family Planning (1,006 HFIs)

Cumulative shortfall: -8.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (1,237 HFIs)


Cumulative shortfall: 80.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (1,008 HFIs)


Cumulative shortfall: 1.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (1,029 HFIs)

Cumulative shortfall: 35.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (855 HFIs)


Cumulative shortfall: 34.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,200 HFIs)


Cumulative shortfall: 4.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (849 HFIs)

Cumulative shortfall: 10.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,190 HFIs)


Cumulative shortfall: 18.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,193 HFIs)

Cumulative shortfall: -1.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-22%	-32%	-10%	5%	17%	-2%	-17%	-21%	-11%	4%	2%	-19%
Apr 20	-6%	18%	-1%	2%	65%	46%	3%	-4%	11%	-14%	0%	-9%
May 20	-14%	13%	-14%	4%	19%	-1%	4%	4%	17%	5%	9%	-25%
Jun 20	-18%	52%	-1%	10%	66%	10%	4%	10%	25%	-25%	-9%	3%
Jul 20					24%		-6%	-7%	7%		32%	
Aug 20	-7%	19%	-12%	1%	64%	-1%	-1%	-4%	15%	3%	-18%	-7%
Sep 20	-8%	154%	98%	4%	26%	34%	8%	-2%	22%	34%	-16%	19%
Oct 20	15%	108%	-5%	16%	27%	24%	25%	23%	37%	37%	24%	16%
Nov 20	3%	76%	22%	27%	45%	23%	14%	1%	22%	12%	9%	-3%
Dec 20	-7%	40%	-7%	30%	8%	0%	0%	-14%	9%	3%	19%	0%
Jan 21	1%	48%	14%	17%	40%	2%	26%	16%	46%	-27%	-11%	2%
Feb 21				25%	8%					-26%		1%
Mar 21	-22%	-4%		35%	32%	18%	-18%	-29%	-7%	-3%	13%	-29%
Apr 21	10%	73%	-2%	53%	91%	125%	-1%	-12%	18%	-6%		-5%
May 21	-3%	77%	-32%	47%	61%	19%	2%	-3%	24%	-4%	12%	-12%
Jun 21	19%	420%	62%	52%	106%	119%	22%	22%	49%	-11%	31%	-9%
Jul 21	2%	176%	-48%	61%	111%	20%	10%	5%	14%	2%	46%	-13%
Aug 21	24%	72%	0%	59%	117%	30%	17%	13%	32%	-8%	4%	-23%
Sep 21	24%	268%	9%	50%	121%	7%	13%	7%	10%	1%	20%	-13%
Oct 21	7%	152%	-8%	40%	63%	35%	5%	-4%	25%	-12%	6%	-5%
Nov 21	18%	454%	33%	70%	126%	138%	8%	-1%	26%	-8%	15%	-12%
Dec 21	6%	73%	-22%	79%	47%	13%	-3%	-15%	20%	-6%	34%	-26%
Jan 22	28%	131%	-24%	61%	34%	48%	-7%	-11%	4%	-16%	28%	-12%
<b>Cumulative</b>	<b>2.8%</b>	<b>80.4%</b>	<b>1.9%</b>	<b>35.2%</b>	<b>53.7%</b>	<b>34.9%</b>	<b>4.4%</b>	<b>-1.4%</b>	<b>18.5%</b>	<b>-4.9%</b>	<b>10.4%</b>	<b>-8.3%</b>

# BORNO



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (441 health facilities)


Cumulative shortfall: -21.4%




### Affected services



### Data completeness



### BORNO disruptions compared to average range of disruptions in all states




# BORNO

## Profile of Essential Health Service Utilization

### Family Planning (384 HFIs)


Cumulative shortfall: -27.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (420 HFIs)


Cumulative shortfall: -21.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (412 HFIs)


Cumulative shortfall: -32.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (358 HFIs)


Cumulative shortfall: -40.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (357 HFIs)


Cumulative shortfall: 5.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (469 HFIs)


Cumulative shortfall: -12.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (395 HFIs)

Cumulative shortfall: -11.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (470 HFIs)


Cumulative shortfall: -17.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (469 HFIs)

Cumulative shortfall: -8.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-4%	-15%	-30%	-8%	12%	4%	-5%	-19%	-15%	3%	-13%	-17%
Apr 20	-21%	-13%	-11%	-7%	-7%	11%	-24%	-19%	-29%	42%	4%	5%
May 20	-34%	-16%	-31%	-23%	-17%	4%	-27%	-33%	-38%	-15%	-23%	-30%
Jun 20	-19%	-1%	-30%	-27%	-29%	29%	15%	9%	-10%	2%	-1%	-3%
Jul 20	-36%	-30%	-35%	-42%	-26%	10%	-22%	-19%	-19%	-12%	-27%	-17%
Aug 20	-28%	-17%	-8%	-42%	-30%	35%	-12%	-9%	-15%	-9%	7%	-26%
Sep 20	-10%	-22%	-28%	-43%	-32%	11%	-14%	-11%	-13%	24%	-8%	-18%
Oct 20	-26%	-32%	-15%	-37%	-12%	-6%	-16%	-11%	-13%	0%	5%	-37%
Nov 20	-25%	-23%	-37%	-40%	-16%	-4%	-12%	-2%	-10%	21%	-12%	-25%
Dec 20	-21%	-26%	-33%	-35%	-9%	-22%	-1%	25%	-4%	0%	-7%	-18%
Jan 21	-16%	-23%	-38%	-35%	-7%	-17%	-14%	-3%	-9%	11%	10%	-32%
Feb 21	-20%	-22%	-38%	-41%	-3%	-9%	-8%	-10%	-14%	51%	-11%	-25%
Mar 21	-17%	-17%	-35%	-40%	2%	24%	-8%	-18%	-17%	25%	-9%	-37%
Apr 21	-23%	-26%	-38%	-33%	-5%	33%	-24%	-10%	-25%	53%	4%	-23%
May 21	-12%	-14%	-37%	-41%	-14%	14%	-19%	-15%	-31%	73%	-18%	-33%
Jun 21	-20%	-18%	-29%	-45%	-19%	-3%	-2%	12%	-14%	34%	-11%	-25%
Jul 21	-32%	-34%	-44%	-51%	-15%	12%	-30%	-22%	-28%	3%	-29%	-36%
Aug 21	-14%	-20%	-28%	-49%	-10%	8%	-11%	-7%	-15%	17%	-29%	-28%
Sep 21	-11%	-16%	-27%	-47%	-11%	19%	-13%	-11%	-14%	57%	-19%	-9%
Oct 21	-27%	-30%	-38%	-48%	-15%	9%	-22%	-13%	-19%	27%	-16%	-40%
Nov 21	-21%	-18%	-33%	-49%	-16%	16%	-9%	-3%	-15%	63%	12%	-35%
Dec 21	-32%	-24%	-37%	-52%	-20%	-14%	-2%	7%	-9%	59%	-27%	-39%
Jan 22	-21%	-31%	-46%	-52%	-14%	-5%	-1%	12%	-7%	69%	-26%	-42%
<b>Cumulative</b>	<b>-21.4%</b>	<b>-21.8%</b>	<b>-32.2%</b>	<b>-40.6%</b>	<b>-14.3%</b>	<b>5.9%</b>	<b>-12.8%</b>	<b>-8.7%</b>	<b>-17.0%</b>	<b>21.8%</b>	<b>-11.4%</b>	<b>-27.2%</b>

# CROSS RIVER


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,210 health facilities)


Cumulative shortfall: -8.5%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### CROSS RIVER disruptions compared to average range of disruptions in all states




# CROSS RIVER

## Profile of Essential Health Service Utilization

### Family Planning (1,108 HFIs)


Cumulative shortfall: 19.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (1,189 HFIs)


Cumulative shortfall: 27.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (1,054 HFIs)


Cumulative shortfall: 1.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (1,055 HFIs)


Cumulative shortfall: 9.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (1,102 HFIs)


Cumulative shortfall: -1.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,139 HFIs)


Cumulative shortfall: 3.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (638 HFIs)


Cumulative shortfall: 1.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,144 HFIs)

Cumulative shortfall: -1.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,141 HFIs)

Cumulative shortfall: -5.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	4%	-4%	-12%	-11%	10%	-6%	-9%	-11%	-11%	10%	-2%	-4%
Apr 20	-6%	0%	7%	-4%	18%	1%	-7%	-9%	-5%	1%	-19%	-12%
May 20	-21%	2%	-2%	-9%	-1%	-3%	-6%	-9%	-15%	0%	-9%	-12%
Jun 20	14%	24%	23%	-6%	32%	1%	-3%	-10%		-11%	14%	-15%
Jul 20	-7%	14%	11%	5%	27%	4%	-1%	-10%	-5%	-12%	28%	-4%
Aug 20	-11%	19%	5%	3%	27%	3%	2%	-6%	-1%	-9%	-13%	-3%
Sep 20	-12%	19%	7%	10%	31%	5%	12%	-5%	4%	-5%	-1%	49%
Oct 20	-18%	27%	12%	11%	27%	5%	10%	-3%	6%	-8%	-6%	19%
Nov 20	-3%	29%	29%	18%	18%	-2%	5%	-11%	2%	-20%	-4%	32%
Dec 20	-6%	34%	15%	15%	30%	2%	12%	5%	6%	-28%	14%	18%
Jan 21	-14%	28%	-8%	24%		-4%	5%	-1%	0%	-47%	3%	35%
Feb 21	-17%	35%	-20%	10%	142%	-4%	7%	0%	2%	-29%	23%	17%
Mar 21	-14%	28%	-13%	2%	132%	-2%	0%	-5%	1%	6%	3%	-8%
Apr 21	-10%	33%	11%	12%	189%	6%	4%	-4%	1%	18%	-11%	21%
May 21	-15%	39%	-8%	6%	122%	3%	-1%	-6%	1%	8%	-9%	46%
Jun 21	16%	52%	16%	27%	297%	5%	5%	-5%	2%	-17%	-1%	7%
Jul 21	-7%	45%	-8%	35%	196%	4%	8%	-3%	-1%	-11%	30%	29%
Aug 21	-5%	56%	10%	29%	187%	5%	10%	-4%	1%	-12%	3%	40%
Sep 21	-12%	45%	-1%	13%	181%	8%	6%	-6%	-22%	-26%	1%	126%
Nov 21	-19%	20%	-18%	-7%	121%	-33%	-8%	-27%		-25%		39%
Dec 21	-9%	45%	-7%	16%	206%	-12%	15%	5%	-5%	-19%	29%	68%
Jan 22	-7%	31%	-17%	21%	171%	-10%	18%	2%	4%	-28%	16%	114%
<b>Cumulative</b>	<b>-8.5%</b>	<b>27.0%</b>	<b>1.3%</b>	<b>9.6%</b>	<b>90.8%</b>	<b>-1.0%</b>	<b>3.7%</b>	<b>-5.6%</b>	<b>-1.2%</b>	<b>-12.9%</b>	<b>1.9%</b>	<b>19.1%</b>

# DELTA



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (668 health facilities)


Cumulative shortfall: -31.0%




### Affected services



### Data completeness



### DELTA disruptions compared to average range of disruptions in all states




# DELTA

## Profile of Essential Health Service Utilization

### Family Planning (563 HFIs)


Cumulative shortfall: -11.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (649 HFIs)


Cumulative shortfall: -13.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (628 HFIs)


Cumulative shortfall: -23.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (583 HFIs)


Cumulative shortfall: 1.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (541 HFIs)


Cumulative shortfall: -10.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (604 HFIs)


Cumulative shortfall: -16.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (463 HFIs)


Cumulative shortfall: -10.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (602 HFIs)

Cumulative shortfall: -19.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (600 HFIs)

Cumulative shortfall: -24.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-7%	3%	-27%	1%	11%	-5%	-6%	-11%	-6%	6%	39%	-11%
Apr 20	-29%	-24%	-27%	3%	-2%	-14%	-14%	-22%	-17%	3%	-7%	-26%
May 20	-28%	-3%	-31%	-3%	14%	-14%	-16%	-20%	-17%	-15%	-24%	-1%
Jun 20	-16%	11%	-22%	1%	0%	-4%	-11%	-19%	-14%	-7%	-16%	8%
Jul 20	-37%	-17%	-21%	-8%	18%	-8%	-10%	-24%	-19%	-20%	-29%	-10%
Aug 20	-31%	-12%	-8%	4%	59%	1%	-19%	-26%	-18%	-33%	-25%	9%
Sep 20	-35%	-15%	-13%	3%	100%	-8%	-16%	-23%	-13%	-21%	-16%	4%
Oct 20	-33%	-18%	-31%	3%	48%	-6%	-15%	-24%	-16%	-10%	-20%	-18%
Nov 20	-32%	-8%	-14%	18%	31%	-3%	-13%	-29%	-19%	-12%	-14%	-4%
Dec 20	-35%	-20%	-29%	-13%	48%	0%	-12%	-16%	-16%	-30%	-5%	-3%
Jan 21	-26%	-11%	-25%	3%	65%	-13%	-10%	-12%	-8%	-14%	6%	-12%
Feb 21	-25%	-16%	-26%	-6%	53%	-1%	-17%	-27%	-18%	-23%	3%	-20%
Mar 21	-27%	-12%	-35%	1%	66%	-3%	-13%	-19%	-14%	-15%	2%	-24%
Apr 21	-34%	-15%	-28%	8%	48%	-10%	-15%	-24%	-21%	-25%	-12%	-19%
May 21	-32%	-12%	-30%	3%	64%	-8%	-19%	-24%	-20%	-22%	-6%	-4%
Jun 21	-22%	-7%	-11%	18%	53%	-12%	-9%	-25%	-18%	-19%	-19%	-4%
Jul 21	-29%	-26%	-43%	5%	85%	-17%	-25%	-33%	-30%	-8%	-19%	-21%
Aug 21	-31%	-17%	-10%	-4%	165%	-18%	-25%	-32%	-27%	-21%	-12%	-19%
Sep 21	-35%	-20%	-29%	0%	129%	-19%	-18%	-32%		-26%	-8%	-18%
Oct 21	-38%	-22%	-27%	-11%	39%	-22%	-29%	-37%	-42%	-15%	8%	-17%
Nov 21	-33%	-12%	-4%	3%	71%	-21%	-21%	-33%	-24%	-18%	-20%	-16%
Dec 21	-43%	-19%	-19%	8%	113%	-19%	-15%	-23%	-20%	-10%	-21%	-18%
Jan 22	-44%	-14%	-23%	6%		-23%	-21%	-30%	-26%	-18%	-21%	-19%
<b>Cumulative</b>	<b>-31.0%</b>	<b>-13.6%</b>	<b>-23.7%</b>	<b>1.9%</b>	<b>46.6%</b>	<b>-10.5%</b>	<b>-16.3%</b>	<b>-24.9%</b>	<b>-19.3%</b>	<b>-16.5%</b>	<b>-10.7%</b>	<b>-11.8%</b>

# EBONYI


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (748 health facilities)


Cumulative shortfall: -40.0%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### EBONYI disruptions compared to average range of disruptions in all states




# EBONYI

## Profile of Essential Health Service Utilization


### Family Planning (638 HFIs)

Cumulative shortfall: 84.4%




### ANC1 (695 HFIs)

Cumulative shortfall: 2.5%




### ANC4 (654 HFIs)

Cumulative shortfall: 11.6%




### Delivery (609 HFIs)

Cumulative shortfall: 28.1%




### EBF (615 HFIs)

Cumulative shortfall: -2.5%




### BCG (655 HFIs)

Cumulative shortfall: 4.9%




### Hyper tension (430 HFIs)

Cumulative shortfall: -10.0%




### Penta 3 (652 HFIs)

Cumulative shortfall: 5.2%



### Measles 1 (653 HFIs)


Cumulative shortfall: -14.6%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	0%	-2%	8%	-7%	-4%	2%	12%	-8%	2%	-14%	14%	53%
Apr 20	-21%	0%	-15%	3%	-15%	-16%	3%	-20%	-8%	-19%	-19%	37%
May 20	-27%	1%	5%	17%	6%	0%	-1%	-14%	-8%	-31%	-4%	48%
Jun 20	-14%	20%	19%	16%	1%	7%	6%	-8%	2%	-38%	28%	53%
Jul 20	-17%	8%	9%	20%	59%	-2%	2%	-12%	4%	-46%	-29%	49%
Aug 20	-23%	0%	-7%	36%	45%	6%	20%	5%	26%	-37%	-22%	53%
Sep 20	-28%	10%	27%	18%	30%	13%	14%	3%	23%	-39%	8%	68%
Oct 20	-32%	3%	32%	22%	29%	9%	3%	3%	19%	-44%	-4%	79%
Nov 20	-39%	-2%	7%	30%	16%	4%	11%	-24%	11%	-40%	-6%	63%
Dec 20	-43%	15%	44%	10%	18%	7%	11%	2%	19%	-37%	20%	66%
Jan 21										-54%	7%	46%
Feb 21	-49%	12%	33%	21%	50%	-9%	-3%	-7%	11%	-45%	-33%	45%
Mar 21		5%	34%	20%	74%	-1%	9%	-15%	9%	-10%	18%	121%
Apr 21	-49%	16%	2%	31%	77%	-15%	6%	-20%	3%	-20%	-16%	119%
May 21	-56%	-6%	0%	39%	79%	-7%	4%	-20%	4%	-41%	-22%	113%
Jun 21	-50%	0%	19%	52%	111%	5%	12%	-16%	2%	-51%	-13%	150%
Jul 21	-44%	3%	15%	70%	204%	-9%	-3%	-20%	-7%	-59%	-18%	167%
Aug 21	-51%	-15%	-1%	76%	225%	-3%	15%	-11%	9%	-61%	-16%	133%
Sep 21	-50%	-2%	-3%	26%	143%	-2%	8%	-19%	4%	-59%	-24%	119%
Oct 21	-53%	-1%	9%	11%	118%	-11%	-19%	-27%	-6%	-59%	-3%	128%
Nov 21	-49%	-1%	1%	32%	121%	-6%	0%	-39%	-2%	-60%	-22%	
Dec 21	-50%	16%	49%	62%	224%	-11%	3%			-53%	-1%	145%
Jan 22	-50%	-11%	7%	57%	179%	-12%	3%	-23%	-4%	-43%	-20%	129%
<b>Cumulative</b>	<b>-40.0%</b>	<b>2.5%</b>	<b>11.6%</b>	<b>28.1%</b>	<b>75.3%</b>	<b>-2.5%</b>	<b>4.9%</b>	<b>-14.6%</b>	<b>5.2%</b>	<b>-41.5%</b>	<b>-10.0%</b>	<b>84.4%</b>

### Outpatient disruptions and COVID-19 (659 health facilities)


Cumulative shortfall: -12.6%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### EDO disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization

## Family Planning (613 HFIs)


Cumulative shortfall: -12.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC1 (628 HFIs)


Cumulative shortfall: 2.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC4 (609 HFIs)


Cumulative shortfall: -24.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Delivery (585 HFIs)


Cumulative shortfall: 13.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## EBF (584 HFIs)


Cumulative shortfall: -6.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## BCG (700 HFIs)


Cumulative shortfall: 1.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Hyper tension (465 HFIs)

Cumulative shortfall: 14.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Penta 3 (697 HFIs)


Cumulative shortfall: -8.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Measles 1 (694 HFIs)

Cumulative shortfall: -11.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-7%	11%	-2%	3%	-6%	2%	-5%	-8%	-3%	0%	-8%	-26%
Apr 20	-30%	0%	-28%	34%	10%	-13%	-3%	-18%	-11%	-36%	-24%	-15%
May 20	-34%	-6%	-7%	-3%	-32%	-8%	-6%	-9%	-12%	-39%	0%	-18%
Jun 20	-16%	-8%	-24%	-4%	7%	5%	-1%	-5%	0%	-35%	-14%	-18%
Jul 20	-29%	-1%	-25%	0%	37%	-1%	-1%	-3%	-3%	-42%	-6%	-13%
Aug 20	-27%	3%	-15%	4%	-4%	-11%	1%	-11%	-6%	-21%	-8%	-19%
Sep 20	-27%	2%	-9%	9%	30%	6%	3%	-9%	-7%	-9%	4%	-6%
Oct 20	-24%	-18%	-22%	7%	4%	-10%	-4%	-18%	-18%	-21%	5%	-9%
Nov 20	-3%	0%	-12%	11%	33%	1%	4%	-19%	-9%	7%	44%	-11%
Dec 20			-6%	23%					3%	47%		
Jan 21	-5%	12%	-31%	11%	83%	-16%	-5%	-10%	-11%	-31%	25%	1%
Feb 21	-6%	13%	-2%	12%	99%	-17%	2%	-10%	-7%	-29%	11%	-10%
Mar 21	-3%	31%	-24%	11%	33%	-9%	3%	-9%	-10%	18%	15%	-19%
Apr 21	0%	22%	-38%	15%	68%	-10%	6%	-16%	-14%	-2%	14%	-12%
May 21	-18%	7%	-32%	26%	-14%	-2%	-2%	-16%	-19%	-17%	18%	-28%
Jun 21	-6%	0%	-41%	20%	91%	-4%	9%	-10%	-8%	-23%	21%	1%
Jul 21	-4%	-3%	-42%	34%	92%	-4%	0%	-11%	-9%	-26%	27%	-8%
Aug 21	-2%	3%	-29%	31%	55%	-14%	0%	-10%	-7%	-2%	50%	-10%
Sep 21	16%		-28%	13%	47%	-12%	10%	-11%	-6%	27%	96%	-4%
Oct 21	-9%	-3%	-42%	-3%	15%	-7%	-2%	-13%	-7%	4%	4%	-11%
Nov 21	-4%	13%	-32%	21%	35%	-15%	0%	-27%		48%	54%	-9%
Dec 21	-23%	8%	-19%	28%	60%	1%	24%	-5%	-9%	58%	79%	-6%
Jan 22	-2%	-14%	-36%	17%	34%	-3%	11%	-8%	-10%	-17%	63%	-19%
<b>Cumulative</b>	<b>-12.6%</b>	<b>2.3%</b>	<b>-24.3%</b>	<b>13.6%</b>	<b>26.7%</b>	<b>-6.2%</b>	<b>1.5%</b>	<b>-11.7%</b>	<b>-8.3%</b>	<b>-11.1%</b>	<b>14.3%</b>	<b>-12.3%</b>

# EKITI



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (488 health facilities)


Cumulative shortfall: -24.2%




### Affected services



### Data completeness



### EKITI disruptions compared to average range of disruptions in all states






## Profile of Essential Health Service Utilization

### Family Planning (281 HFIs)


Cumulative shortfall: -33.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (344 HFIs)


Cumulative shortfall: -3.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (310 HFIs)


Cumulative shortfall: -22.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (314 HFIs)

Cumulative shortfall: -15.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (327 HFIs)

Cumulative shortfall: 118.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (354 HFIs)

Cumulative shortfall: 214.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (264 HFIs)

Cumulative shortfall: 55.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (356 HFIs)

Cumulative shortfall: 135.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (352 HFIs)

Cumulative shortfall: 137.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-26%	6%	-15%	-10%	-1%	77%	180%	124%	126%	-33%	-8%	-26%
Apr 20	-45%	-25%	-41%	-22%	-18%	59%	154%	103%	107%	-46%	-22%	-44%
May 20	-52%	-19%	-38%	-18%	-41%	65%	170%	105%	109%	-64%	-35%	-38%
Jun 20	-42%	7%	-11%	-18%	4%	134%	175%	131%	134%		29%	-18%
Jul 20	-47%	-23%	-33%	-19%	49%	40%	78%	61%	86%	-68%	3%	-20%
Aug 20	-36%	-6%	-10%	-20%	47%	50%	53%	22%	33%	-69%	21%	-18%
Sep 20	-22%	-3%	3%	-24%	-5%	142%	165%	142%	160%	-51%	115%	7%
Oct 20	-16%	-5%	-26%	-15%	-16%	125%	145%	109%	137%	-37%	120%	-35%
Nov 20	-2%	-7%	49%	-7%	33%	134%	189%	87%	111%	-56%	137%	-22%
Dec 20	-16%	-4%	-13%	-18%	11%	150%	295%	200%	193%		226%	-38%
Jan 21	-21%	-5%	-32%	-33%	48%	130%	257%	139%	149%	-62%	43%	-22%
Feb 21	-11%	-9%	-31%	-6%	144%	128%	185%	134%	138%	-70%	17%	-25%
Mar 21	-25%	45%	-20%	-20%	48%	261%	697%	308%	308%	-49%	59%	-42%
Apr 21	-27%	4%	-27%	-14%	54%	220%	496%	271%	271%	-10%	54%	-50%
May 21	-23%	-22%	-41%	-8%	-6%	168%	471%	259%	256%	-50%	69%	-56%
Jun 21	-16%	-15%	-30%	-10%	48%	213%	489%	295%	242%	-53%	59%	24%
Jul 21	-21%	-21%	-43%	-13%	75%	78%	141%	89%	69%	-57%	114%	-45%
Aug 21	-9%	12%	-19%	-5%	89%	82%	127%	76%	64%	-61%	169%	-38%
Sep 21	-8%	16%	-14%	-21%	39%	206%	364%	285%		127%	175%	23%
Oct 21	-16%	23%	-35%	-25%	24%	141%	263%	205%	192%	-72%	242%	-55%
Nov 21	-35%	4%	15%	-6%	285%		321%	136%	136%	-62%	451%	-61%
Dec 21				-6%	44%		551%	270%	214%	-69%		-61%
Jan 22		-8%	-40%	-13%	39%		241%	121%	84%	-72%	32%	-56%
<b>Cumulative</b>	<b>-24.2%</b>	<b>-3.7%</b>	<b>-22.9%</b>	<b>-15.2%</b>	<b>30.2%</b>	<b>118.3%</b>	<b>214.7%</b>	<b>137.6%</b>	<b>135.4%</b>	<b>-49.2%</b>	<b>55.5%</b>	<b>-33.1%</b>

# ENUGU


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (701 health facilities)


Cumulative shortfall: -18.6%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### ENUGU disruptions compared to average range of disruptions in all states






## Profile of Essential Health Service Utilization

### Family Planning (572 HF)


Cumulative shortfall: 0.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (652 HF)


Cumulative shortfall: 14.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (582 HF)

Cumulative shortfall: -17.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (508 HF)


Cumulative shortfall: -17.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (520 HF)


Cumulative shortfall: -6.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (692 HF)


Cumulative shortfall: -1.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (398 HF)

Cumulative shortfall: -39.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (700 HF)


Cumulative shortfall: 3.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (696 HF)

Cumulative shortfall: -10.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-28%	20%	12%		-27%	-22%	-6%	-15%	-10%	-14%	-22%	6%
Apr 20	-28%	-21%	-8%	-17%	-49%	-39%	-14%	-23%	-16%	-17%	-20%	-6%
May 20	-17%	-18%	-10%	-8%	24%	-12%	-12%	-15%	-10%	-30%	-34%	25%
Jun 20	-12%	11%	-21%	-10%	-9%	-4%	-6%	-11%	-3%	-25%	-11%	20%
Jul 20	-3%	25%	-5%	-15%	-8%	-20%	-7%	-11%	-4%	-47%	-33%	-1%
Aug 20	-14%	16%	0%	-18%	-15%	-18%	-5%	-8%	2%	-18%	-12%	-3%
Sep 20	-13%	-6%	-21%	-5%	9%	0%	-5%	-13%	2%	-39%	-19%	2%
Oct 20	-10%	-8%	-23%	-19%	-29%	-12%	-4%	-3%	12%	-34%	-22%	15%
Nov 20	-2%	16%	-11%	0%	12%	2%	9%	-15%	9%	-30%	-17%	7%
Dec 20	22%	34%	19%	12%	-2%	9%	14%	13%	23%	-26%	-38%	6%
Jan 21	-23%	18%	-38%	-9%		-47%	2%	-9%	-3%	-53%	-19%	-5%
Feb 21	-28%	58%	-20%	22%	-12%	-11%	5%	-8%	-2%	-49%	-40%	1%
Mar 21	-35%	47%	-22%	-19%	-36%	-24%	-1%	-16%	-6%	-21%	-35%	8%
Apr 21	7%	-27%	-36%	-30%	-2%	-28%	-6%	-19%	-12%	-23%	-47%	10%
May 21	-16%	4%	-34%	-23%	45%	-5%	0%	-6%	4%	-40%	-42%	29%
Jun 21	-24%	60%	-22%	-17%	46%	-35%	29%	28%	54%	-24%	-51%	13%
Jul 21	-9%	18%	-24%	-24%	-3%	8%	-3%	-10%	14%	-40%	-54%	-15%
Aug 21	-30%	23%	-28%	-18%	12%	-31%	-1%	-7%	18%	-30%	-45%	-4%
Sep 21	-35%	24%	-36%	-32%	115%	0%	-1%	-9%	13%	-38%	-52%	-6%
Oct 21	-24%	11%	-29%	-36%	-13%	243%	-15%	-17%	-3%	-27%	-57%	-6%
Nov 21	-29%	21%	-11%	-28%	7%	-40%	0%	-30%	-5%	-28%	-61%	-9%
Dec 21	-46%	78%	45%	-6%	145%	-39%	12%	-10%	6%	-34%	-57%	-22%
Jan 22	-21%			-9%			-2%	-17%	-1%	-48%	-55%	-30%
<b>Cumulative</b>	<b>-18.6%</b>	<b>14.0%</b>	<b>-17.3%</b>	<b>-17.2%</b>	<b>3.0%</b>	<b>-6.7%</b>	<b>-1.3%</b>	<b>-10.3%</b>	<b>3.1%</b>	<b>-33.7%</b>	<b>-39.2%</b>	<b>0.7%</b>

# FCT - ABUJA



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (464 health facilities)


Cumulative shortfall: -28.1%




### Affected services



### Data completeness



### FCT - ABUJA disruptions compared to average range of disruptions in all states




# FCT - ABUJA

## Profile of Essential Health Service Utilization

### Family Planning (420 HFIs)


Cumulative shortfall: -15.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (447 HFIs)


Cumulative shortfall: -3.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (432 HFIs)


Cumulative shortfall: -15.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (424 HFIs)


Cumulative shortfall: -3.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (352 HFIs)

Cumulative shortfall: 6.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (383 HFIs)


Cumulative shortfall: 4.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (362 HFIs)

Cumulative shortfall: 18.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (381 HFIs)


Cumulative shortfall: -7.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (379 HFIs)

Cumulative shortfall: -7.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-17%	12%	-11%	3%	-29%	0%	6%	-3%	-6%	20%	-16%	-20%
Apr 20	-49%	-21%	-25%	1%	-19%		-6%	-16%	-19%		-21%	-18%
May 20	-46%	-16%	-10%	-3%	-13%	-10%	-7%	-16%	-21%	-18%	25%	-27%
Jun 20	-37%	31%	39%	1%	-22%	24%	23%	1%	-3%	-22%	-18%	-11%
Jul 20	-38%	-16%	-13%	-4%	-15%	-1%	-4%	-11%	-10%		-6%	-21%
Aug 20	-23%	6%	-11%	5%	9%	13%	6%	-4%	-6%		-6%	1%
Sep 20	-24%	-6%	-12%	-2%	20%	14%	5%	-4%	3%	39%	-13%	-11%
Oct 20	-30%	0%	13%	2%	-13%	-7%	-1%	-9%	-2%	-19%	-15%	-9%
Nov 20			-34%	-16%	56%	6%				-7%	34%	-17%
Dec 20	-24%	10%	-27%	8%	83%	13%	25%	24%	4%	8%	23%	-5%
Jan 21	-21%	-21%	-45%	0%	56%	-6%	-9%	-14%	-8%	-1%	87%	-13%
Feb 21	-24%	-9%	-43%	-2%	41%	0%	-3%	-8%	-7%	-9%	46%	-17%
Mar 21	-17%		-14%	-2%	22%		10%			32%	32%	
Apr 21	-30%	-7%	-5%	-10%	20%	5%	-4%	-9%	-17%	58%	3%	-24%
May 21	-29%		-22%	-6%	50%	-15%	-4%			13%	76%	
Jun 21	-19%	30%	44%	2%	26%	24%	21%	-2%	-3%	55%	23%	-19%
Jul 21	-35%	-17%	-29%	-2%	31%	-1%	-5%	-11%	-14%	59%	26%	-31%
Aug 21	-38%	7%	-11%	-11%	18%	20%	15%	-3%	-5%	29%	-5%	-8%
Sep 21	-29%	1%	-26%	-17%	29%	18%	3%	-6%	-2%	27%	2%	-14%
Oct 21	-22%	-8%	-11%	-12%	48%	1%	-8%	-19%	-11%	-4%	82%	-14%
Nov 21	-17%	-24%	-24%	-1%	126%	34%	17%	-15%	-5%	14%	50%	-10%
Dec 21	-24%	-9%	-17%	2%	102%	16%	19%	-5%	-1%	28%	36%	-15%
Jan 22	-33%	8%	-32%	8%	91%	-1%				51%	27%	-15%
<b>Cumulative</b>	<b>-28.1%</b>	<b>-3.3%</b>	<b>-15.7%</b>	<b>-3.3%</b>	<b>29.8%</b>	<b>6.4%</b>	<b>4.0%</b>	<b>-7.4%</b>	<b>-7.2%</b>	<b>17.1%</b>	<b>18.7%</b>	<b>-15.2%</b>

# GOMBE


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (639 health facilities)


Cumulative shortfall: -25.0%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### GOMBE disruptions compared to average range of disruptions in all states




# GOMBE

## Profile of Essential Health Service Utilization

### Family Planning (549 HFIs)


Cumulative shortfall: -16.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (516 HFIs)


Cumulative shortfall: -1.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (498 HFIs)


Cumulative shortfall: -6.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (474 HFIs)


Cumulative shortfall: -25.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (429 HFIs)

Cumulative shortfall: -47.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (565 HFIs)


Cumulative shortfall: 9.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (557 HFIs)

Cumulative shortfall: -32.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (569 HFIs)

Cumulative shortfall: -6.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (567 HFIs)

Cumulative shortfall: 0.0%




Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-1%	6%	10%	0%	0%	-10%	-15%	-22%	-22%	-12%	-17%	-1%
Apr 20	1%	-9%	-1%	-9%	-14%	-15%	1%	-6%	-12%	11%	-17%	-11%
May 20	-23%	-21%	-19%	-16%	-20%	-32%	-22%	-32%	-33%	0%	-13%	-14%
Jun 20	-21%	8%	11%	-20%	-17%	-23%	9%	-8%	-15%	-24%	-19%	6%
Jul 20	-32%	-29%	-21%	-25%	-28%	-37%	-2%	-10%	-9%	-26%	-32%	-17%
Aug 20	-30%	14%	-23%	-28%	-28%	-43%	30%	30%	12%	-12%	-33%	-4%
Sep 20	-21%	-6%	-11%	-27%	-21%	-41%	15%	7%	5%	-17%	-34%	-3%
Oct 20	-17%	-9%	-24%	-34%	9%	-54%	1%	8%	-1%	-6%	-41%	-20%
Nov 20	-13%	19%	-13%	-21%	47%	-45%	39%	32%	17%	-11%	-35%	-9%
Dec 20	-23%	20%	3%	-20%	67%	-39%	46%	59%	24%	-10%	-24%	-13%
Jan 21	-17%	-1%	-4%	-22%	66%	-51%	-4%	-5%	-13%	-5%	-29%	-14%
Feb 21	-26%	10%	29%	-20%	74%	-55%	19%	7%	5%	-11%	-28%	-19%
Mar 21	-27%	12%	10%	-22%	75%	-49%	-7%	-9%	-16%	-18%	-34%	-26%
Apr 21	-25%	-21%	-10%	-27%	66%	-53%	8%	-3%	-13%	4%	-32%	-28%
May 21	-22%	11%	-10%	-30%	59%	-64%	-5%	-25%	-27%	8%	-32%	-19%
Jun 21	-19%	-5%	18%	-30%	63%	-51%	7%	-7%	-9%	-6%	-40%	-10%
Jul 21	-25%	-29%	-24%	-37%	32%	-64%	-2%	-22%	-20%	-9%	-45%	-33%
Aug 21	-25%	13%	-25%	-37%	33%	-54%	26%	6%	-3%	-5%	-45%	-26%
Sep 21	-25%	-4%	-10%	-37%	29%	-62%	17%	3%	3%	-16%	-45%	-19%
Oct 21	-34%	-10%	-28%	-37%	36%	-66%	0%	-12%	-14%	-18%	-36%	-27%
Nov 21	-32%	17%	18%	-29%	47%	-56%	52%	35%	23%	-19%	-38%	-23%
Dec 21	-65%	4%	15%	-27%	41%	-59%	24%	5%	2%	-13%	-36%	-16%
Jan 22	-35%	-11%	-17%	-26%	40%	-58%	14%	1%	-5%	-7%	-35%	-20%
<b>Cumulative</b>	<b>-25.0%</b>	<b>-1.9%</b>	<b>-6.1%</b>	<b>-25.7%</b>	<b>30.5%</b>	<b>-47.9%</b>	<b>9.2%</b>	<b>0.0%</b>	<b>-6.5%</b>	<b>-9.9%</b>	<b>-32.3%</b>	<b>-16.2%</b>

### Outpatient disruptions and COVID-19 (712 health facilities)


Cumulative shortfall: -1.1%




### Affected services




### Outpatient disruptions in October 2021



### Data completeness



### IMO disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization


## Family Planning (546 HFIs)

Cumulative shortfall: -15.9%




## ANC1 (666 HFIs)

Cumulative shortfall: 17.3%




## ANC4 (594 HFIs)

Cumulative shortfall: 3.3%



## Delivery (560 HFIs)

Cumulative shortfall: -5.3%




## EBF (568 HFIs)

Cumulative shortfall: -1.3%




## BCG (706 HFIs)

Cumulative shortfall: 2.8%




## Hyper tension (537 HFIs)

Cumulative shortfall: -25.2%




## Penta 3 (710 HFIs)

Cumulative shortfall: -2.6%



## Measles 1 (704 HFIs)

Cumulative shortfall: -10.7%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-12%	-8%	-4%	-3%	4%	-25%	-3%	-7%	-4%	6%	-24%	-4%
Apr 20	-35%	-4%	-10%	-9%	-24%	-16%	7%	-2%	4%	-23%	-20%	-12%
May 20	-35%	-8%	-5%	-18%	-34%	-25%	-10%	-19%	-12%	-31%	-28%	5%
Jun 20	-7%	4%	15%	-11%	16%	-6%	0%	-11%	-5%	-31%	-15%	5%
Jul 20	-5%	0%	6%	-8%	40%	-1%	3%	-4%	1%	-52%	-2%	-7%
Aug 20	6%	11%	-1%	-5%	9%	-16%	-6%	-18%	-12%	-46%	-27%	-5%
Sep 20	-11%	11%	13%	-8%	94%	7%	4%	-8%	1%	-50%	-30%	22%
Oct 20	-8%	12%	-4%	-10%	54%	-3%	-3%	-13%	-5%	-45%	-29%	-15%
Nov 20	20%	53%	1%	8%	55%	2%	3%	-14%	-6%	-46%	-28%	-12%
Dec 20	-1%	19%	-4%	-7%	87%	13%	14%	1%	6%	-51%	-12%	-30%
Jan 21	-3%	14%	-10%	9%	59%	8%	-10%	-22%	-14%	-67%	-16%	-11%
Feb 21	8%	41%	5%	6%	96%	6%	4%	-9%	0%	-74%	-5%	-19%
Mar 21	11%	31%	-1%	0%	179%	44%	1%	-13%	-4%	-58%	-15%	-29%
Apr 21	-1%	26%	3%	-1%	72%	0%	16%	-1%	9%	-41%	-33%	-27%
May 21	11%	21%	-8%	-7%	50%	-9%	-2%	-18%	-11%	-54%	-40%	-32%
Jun 21	41%	29%	22%	5%	140%	15%	9%	-7%	1%	-54%	-45%	-28%
Jul 21	36%	31%	3%	5%	109%	7%	11%	-4%	5%	-66%	-22%	-35%
Aug 21	0%	43%	-15%	-26%	90%	-13%	3%	-13%	-3%	-59%	-35%	-31%
Sep 21	-5%	49%	21%	-24%	162%	22%	20%	2%	14%	-58%	-32%	-32%
Oct 21	3%	29%	1%	-17%	47%	-3%	-2%	-22%	-10%	-64%	-31%	-28%
Nov 21			13%	-3%	64%	1%	6%	-18%	-4%	-58%	-26%	
Dec 21			56%	21%	59%					-54%	-19%	
Jan 22			7%							-63%	-29%	-14%
<b>Cumulative</b>	<b>-1.1%</b>	<b>17.3%</b>	<b>3.3%</b>	<b>-5.3%</b>	<b>57.6%</b>	<b>-1.3%</b>	<b>2.8%</b>	<b>-10.7%</b>	<b>-2.6%</b>	<b>-50.0%</b>	<b>-25.2%</b>	<b>-15.9%</b>

# JIGAWA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (753 health facilities)


Cumulative shortfall: 2.5%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### JIGAWA disruptions compared to average range of disruptions in all states




# JIGAWA

## Profile of Essential Health Service Utilization

### Family Planning (674 HFIs)

Cumulative shortfall: -13.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (690 HFIs)

Cumulative shortfall: -15.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (667 HFIs)


Cumulative shortfall: -15.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (348 HFIs)


Cumulative shortfall: -7.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (508 HFIs)


Cumulative shortfall: 49.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (742 HFIs)


Cumulative shortfall: -11.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (674 HFIs)

Cumulative shortfall: 2.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (742 HFIs)


Cumulative shortfall: -8.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (741 HFIs)

Cumulative shortfall: -10.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-1%	0%	-10%	-1%	-16%	56%	-1%	1%	11%	8%	6%	-18%
Apr 20	-4%	-25%	-26%	-1%	-17%	4%	-16%	-19%	-18%	-4%	4%	-17%
May 20	-7%	-29%	-28%	-14%	-29%	1%	-14%	-3%	-14%	-7%	-5%	-16%
Jun 20	2%	16%	0%	-10%	-10%	-9%	-11%	-14%	-20%	-4%	22%	0%
Jul 20	-16%	-25%	-17%	-9%	-17%	9%	-10%	-6%	-5%	-26%	-3%	-14%
Aug 20	-3%	9%	-7%	-7%	-17%	30%	-4%	7%	3%	-15%	-9%	-11%
Sep 20	0%	-11%	-11%	0%	15%	60%	-7%	-6%	-3%	-10%	-12%	5%
Oct 20	7%	-13%	-18%	-1%	7%	29%	-6%	8%	-3%	-5%	24%	-4%
Nov 20	-2%	-4%	-18%	-6%	16%	48%	-1%	5%	4%	-5%	15%	-4%
Dec 20	6%	-14%	-6%	-4%	10%	45%	0%	26%	11%	8%	-25%	-5%
Jan 21	4%	-18%	-23%	-4%	16%	37%	-23%	-22%	-25%	21%	51%	-15%
Feb 21	2%	-20%	-31%	-11%	-5%	100%	-10%	-10%	-6%	-3%	15%	-12%
Mar 21	1%	-7%	-21%		1%	90%	-17%	-13%	-1%	3%	-7%	-19%
Apr 21	-1%	-32%	-37%	-5%	2%	58%	-29%	-34%	-29%	3%	-16%	-15%
May 21	-1%	-9%	-23%	-12%	4%	79%	1%	-1%	-5%	5%	34%	-14%
Jun 21	15%	-11%		-12%	18%		-31%	-31%	-25%	6%		-7%
Jul 21	-7%	-39%		-10%	-2%	67%	-22%	-22%	-12%	-8%	15%	-21%
Aug 21	21%	-1%	-2%	-5%	13%	152%	-6%	15%	20%	41%	-2%	-15%
Sep 21	8%	-15%	4%	-10%	21%	121%		-24%	-5%	4%	-2%	-10%
Oct 21	3%	-21%	-15%	-10%	18%	94%	-11%	-19%	-12%	3%	-10%	-21%
Nov 21	11%	-8%	6%	-8%	29%	190%	-12%	-22%	-12%	2%	-18%	-26%
Dec 21	5%	-28%	1%	-13%	15%		-7%	-22%	-11%	18%		-23%
Jan 22	9%	-26%	-18%	-5%	25%	124%	-13%	-7%	-9%	43%	-11%	-19%
<b>Cumulative</b>	<b>2.5%</b>	<b>-15.1%</b>	<b>-15.2%</b>	<b>-7.3%</b>	<b>3.1%</b>	<b>49.9%</b>	<b>-11.7%</b>	<b>-10.2%</b>	<b>-8.2%</b>	<b>1.4%</b>	<b>2.9%</b>	<b>-13.4%</b>

# KADUNA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,381 health facilities)


Cumulative shortfall: -5.1%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### KADUNA disruptions compared to average range of disruptions in all states




# KADUNA

## Profile of Essential Health Service Utilization

### Family Planning (1,275 HFf)

Cumulative shortfall: -3.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (1,331 HFf)

Cumulative shortfall: -9.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (1,320 HFf)


Cumulative shortfall: 17.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (1,280 HFf)

Cumulative shortfall: 27.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (1,160 HFf)


Cumulative shortfall: 4.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,225 HFf)


Cumulative shortfall: 1.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (1,213 HFf)


Cumulative shortfall: -4.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,225 HFf)


Cumulative shortfall: -3.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,225 HFf)

Cumulative shortfall: -3.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	1%	-6%	-25%	-5%	-12%	8%	4%	-1%	-3%	5%	-15%	-9%
Apr 20	-4%	-9%	1%	3%	-4%	-3%	-2%	-7%	-8%	-1%	-19%	-14%
May 20	-14%	-49%	-34%	-12%	-21%	-33%	-37%	-35%	-33%	-10%	0%	-64%
Jun 20	2%	21%	46%	12%	13%	11%	19%	20%	7%	8%	2%	19%
Jul 20	-9%	-7%	57%	27%	7%	0%	-3%	1%	-6%	2%	-17%	7%
Aug 20	-18%	12%	113%	35%	74%	2%	6%	5%	0%	9%	-10%	24%
Sep 20	-22%	13%	58%	45%	97%	10%	9%	1%	3%	16%		7%
Oct 20	-15%	18%	31%	39%	102%	7%	14%	22%	13%	15%	-4%	30%
Nov 20	-18%	4%	37%	40%	114%	10%	6%	7%	7%	10%	-15%	10%
Dec 20	-7%	8%	-5%	21%	110%	21%	21%	31%	27%	14%	-1%	12%
Jan 21	-2%	-27%	-19%	14%	81%	0%	-7%	-25%	-11%	9%	-3%	-23%
Feb 21	-8%	-10%	-12%	21%	103%	11%	4%	-13%	-1%	8%	8%	11%
Mar 21	0%	-5%	-28%	25%	92%	21%	8%	-3%	1%	20%	-3%	2%
Apr 21	2%	-11%	2%	36%	97%	10%	0%	-11%	-9%	13%	-12%	-5%
May 21	-15%	-48%	-30%	10%	67%	-20%	-36%	-43%	-35%	3%	-13%	-42%
Jun 21	35%		117%	53%	166%	47%	48%	53%	32%	70%	13%	
Jul 21	-2%	-19%	62%	56%	119%	-3%	-6%	-15%	-14%	28%	-2%	2%
Aug 21	8%	14%	77%	57%	162%	15%	14%	10%	1%	44%	11%	13%
Sep 21	7%	5%	70%	55%	139%	5%		-3%	-6%	44%	-3%	25%
Oct 21	-4%	-10%	52%	43%	125%	-3%	-7%	-13%	-11%	20%	4%	15%
Nov 21			51%	50%	136%	6%				26%	-8%	4%
Dec 21	-15%		59%	24%	130%	17%	28%	13%	13%	16%	12%	56%
Jan 22	-14%	-28%	-15%	18%	100%	-14%	-1%	-16%	-12%	13%	-10%	-30%
<b>Cumulative</b>	<b>-5.1%</b>	<b>-9.7%</b>	<b>17.5%</b>	<b>27.5%</b>	<b>82.0%</b>	<b>4.5%</b>	<b>1.7%</b>	<b>-3.0%</b>	<b>-3.1%</b>	<b>15.7%</b>	<b>-4.4%</b>	<b>-3.5%</b>

# KANO


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,354 health facilities)


Cumulative shortfall: -11.9%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### KANO disruptions compared to average range of disruptions in all states




# KANO

## Profile of Essential Health Service Utilization

### Family Planning (1,233 HFIs)


Cumulative shortfall: 15.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (1,270 HFIs)


Cumulative shortfall: -4.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (1,236 HFIs)


Cumulative shortfall: 9.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (406 HFIs)


Cumulative shortfall: -6.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (757 HFIs)

Cumulative shortfall: 12.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,275 HFIs)


Cumulative shortfall: -0.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (1,015 HFIs)

Cumulative shortfall: -3.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,273 HFIs)


Cumulative shortfall: -6.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,273 HFIs)

Cumulative shortfall: -12.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	10%	3%	-15%	-12%	-10%	12%	9%	2%	0%	5%	3%	22%
Apr 20	-3%	-28%	-19%		-5%	6%	-16%	-19%	-15%	2%	6%	-1%
May 20	-20%				-10%	7%	-24%	-28%	-26%	-17%	-7%	
Jun 20	-6%	50%	3%	-7%	6%	50%	9%	3%	0%	-1%	-3%	22%
Jul 20	-21%	-15%	26%	-5%	-6%	28%	-7%	-12%	-8%	-11%	-4%	5%
Aug 20	-21%	14%	41%	3%	-12%	-36%	-5%	-16%	-14%	-17%	-4%	21%
Sep 20	-21%	-5%	57%	0%	22%	52%	6%	-5%	1%	-1%	-11%	22%
Oct 20	-16%	-2%	23%	3%	14%	14%	-4%	-1%	-4%	-6%	0%	2%
Nov 20	-7%	12%	38%	0%	13%	-18%	0%	-4%	-1%	-4%	5%	13%
Dec 20	-4%	-9%	24%	-7%	12%	65%	23%	17%	12%	9%	10%	23%
Jan 21	-12%	-15%	-23%	-8%		12%	-9%	-21%	-12%	2%	3%	11%
Feb 21	-17%	-20%	-28%	-12%	8%	-19%	1%	-17%	-4%	-2%	11%	2%
Mar 21	-11%	2%	-7%	-27%		5%	7%	-11%	-3%	11%	7%	23%
Apr 21	-11%	-19%	-7%	-1%		-7%	-12%	-23%	-15%	1%	-11%	17%
May 21	-10%	13%	-4%	-6%	25%	18%	-7%	-23%	-15%	-8%	-7%	23%
Jun 21	5%	9%	21%	2%	82%	56%	20%	2%	8%	21%	-1%	34%
Jul 21	-27%	-37%	-1%	-5%	48%	7%	-12%	-27%	-16%	0%	-15%	0%
Aug 21	-9%	24%	81%	-3%	81%	-30%	9%	-12%	-5%	20%	-9%	27%
Sep 21	-4%	-7%	45%	-2%	64%	35%	13%	-10%	6%	20%	-7%	24%
Oct 21	-13%	-8%	14%	-6%	71%	3%	-10%	-23%	-14%	-6%	-14%	13%
Nov 21	-4%	18%	66%	-4%	86%	68%	0%	-15%	-7%	-4%	4%	25%
Dec 21	-17%	-23%	2%	-6%	60%	47%	13%	-12%	0%	13%	-4%	13%
Jan 22	-23%	-13%	-9%	-15%	75%	7%	-8%	-25%	-15%	-5%	-11%	11%
<b>Cumulative</b>	<b>-11.9%</b>	<b>-4.2%</b>	<b>9.3%</b>	<b>-6.0%</b>	<b>32.8%</b>	<b>12.2%</b>	<b>-0.7%</b>	<b>-12.8%</b>	<b>-6.7%</b>	<b>0.7%</b>	<b>-3.0%</b>	<b>15.6%</b>

# KATSINA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,788 health facilities)


Cumulative shortfall: -0.5%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### KATSINA disruptions compared to average range of disruptions in all states




# KATSINA

## Profile of Essential Health Service Utilization

### Family Planning (1,052 HFIs)


Cumulative shortfall: -1.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (971 HFIs)


Cumulative shortfall: -4.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (912 HFIs)


Cumulative shortfall: -24.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (498 HFIs)


Cumulative shortfall: 2.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (527 HFIs)


Cumulative shortfall: -12.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,721 HFIs)


Cumulative shortfall: -15.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (1,157 HFIs)

Cumulative shortfall: 4.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,724 HFIs)

Cumulative shortfall: -15.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,724 HFIs)

Cumulative shortfall: -7.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	6%	1%	-13%	-4%	-23%	18%	-16%	-14%	-11%	9%	7%	10%
Apr 20	3%	-18%	-5%	-5%	-22%	-6%	-22%	-7%	-12%	16%	3%	-10%
May 20	-3%			-15%	-34%	-24%	-37%	-34%	-39%	14%	-15%	-5%
Jun 20	-2%	19%	-8%	-10%	-28%	-3%	-6%	3%	-10%	-2%	-5%	17%
Jul 20	-17%	-7%		-8%	-29%	-13%	-8%	42%	-5%	-14%	-11%	-9%
Aug 20	-7%	16%		-3%	-35%	-35%	-19%	-10%	-21%	5%	-1%	6%
Sep 20	-8%	9%		8%	-28%	-17%	-18%	-15%	-16%		-1%	8%
Oct 20	-5%		-23%	7%	-18%	-20%	0%	28%	5%	11%	11%	5%
Nov 20	-6%	6%	-27%	12%	3%	-17%	-4%	12%	2%	14%	21%	10%
Dec 20	10%	5%	-15%	9%	0%	-20%	8%	47%	5%	28%	13%	7%
Jan 21	6%	-7%	-37%	5%	-4%	-12%	-7%	5%	-3%	29%	-4%	-1%
Feb 21	4%	-14%	-33%	9%	-10%	-17%	-21%	-24%	-20%	8%	-5%	-1%
Mar 21	0%	-11%	-31%	2%	-18%	-21%	-21%	-24%	-21%	12%	13%	4%
Apr 21	-6%	-18%	-27%	7%	-16%	-13%	-27%	-24%	-26%	25%	8%	-9%
May 21	11%	8%	-19%	5%	-15%	-28%	-36%	-32%	-30%	26%	8%	3%
Jun 21	10%	3%	-11%	8%	-2%	-5%	9%	0%	-5%	19%	6%	5%
Jul 21	-10%	-30%	-37%	5%	-11%	-16%	-30%	-35%	-36%	9%	3%	-14%
Aug 21	6%	10%	-18%	12%	-13%	-10%	1%	-5%	-6%	31%		-1%
Sep 21	4%	-14%	-26%	11%	-9%	-21%		-11%	-10%	48%	15%	-11%
Oct 21	5%	-13%	-35%	-1%	-15%		-15%	-22%	-19%	29%	7%	-12%
Nov 21	5%	1%	-27%	5%	-11%	5%	-22%		-30%	42%	19%	-4%
Dec 21	-11%	-12%	-30%	-1%	-14%	0%	-19%	-22%	-25%	32%	21%	-12%
Jan 22	3%	-14%	-35%	0%	-9%	-4%	-21%	-15%	-24%	49%	-7%	-10%
<b>Cumulative</b>	<b>-0.5%</b>	<b>-4.4%</b>	<b>-24.6%</b>	<b>2.8%</b>	<b>-15.8%</b>	<b>-12.8%</b>	<b>-15.6%</b>	<b>-7.2%</b>	<b>-15.7%</b>	<b>19.3%</b>	<b>4.5%</b>	<b>-1.3%</b>

# KEBBI


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (928 health facilities)


Cumulative shortfall: -7.1%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### KEBBI disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization

## Family Planning (597 HFIs)


Cumulative shortfall: -8.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC1 (578 HFIs)


Cumulative shortfall: 3.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC4 (544 HFIs)


Cumulative shortfall: -12.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Delivery (541 HFIs)


Cumulative shortfall: -7.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## EBF (463 HFIs)

Cumulative shortfall: -14.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## BCG (689 HFIs)


Cumulative shortfall: -36.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Hyper tension (553 HFIs)


Cumulative shortfall: -7.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Penta 3 (689 HFIs)


Cumulative shortfall: -36.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Measles 1 (685 HFIs)

Cumulative shortfall: -30.1%




Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	5%	10%	-2%	4%	-9%	-6%	-22%	-21%	-25%	10%	-1%	-3%
Apr 20	0%	-5%	2%	-4%	-4%	9%	-27%	-22%	-30%	12%	-8%	-9%
May 20	-8%	-1%	-21%	-6%	-23%	-22%	-44%	-40%	-44%	14%	-12%	-18%
Jun 20	-8%	22%	12%	3%	-26%	-18%	-37%	-32%	-37%	-8%	-35%	-9%
Jul 20	-26%	-25%	-14%	-4%	-34%	-18%	-42%	-36%	-37%	-24%	-13%	-5%
Aug 20	-17%	8%	-6%	-2%	-18%	-9%	-29%	-25%	-30%	-14%	6%	2%
Sep 20	-19%	4%	-7%	-3%	-26%	-25%	-27%	-22%	-25%	4%	-14%	4%
Oct 20	-14%	6%	-14%	1%	-26%	-2%	-5%	6%	-9%	13%	-26%	11%
Nov 20	-17%	9%	-16%	-1%	-30%	-17%	-17%	-2%	-15%	8%	-29%	3%
Dec 20	-3%	10%	-6%	-8%	-26%	-13%	-12%	6%	-18%	40%	-15%	5%
Jan 21	-4%	-13%	-14%	-13%	12%	-6%	-39%	-35%	-40%	18%	-9%	-3%
Feb 21	-8%	-2%	-18%	-12%	22%	-21%	-32%	-33%	-33%	16%	0%	6%
Mar 21	-3%	14%	-9%	-9%	22%	-25%	-44%	-39%	-43%	42%	0%	3%
Apr 21	-3%	-8%	-19%	-10%	38%	-13%	-44%	-36%	-44%	26%	8%	-26%
May 21	4%	27%	-17%	-8%	25%	-14%	-47%	-41%	-46%	45%	10%	-17%
Jun 21	5%	29%	3%	-4%	26%	-3%	-48%	-38%	-47%	21%	-10%	-6%
Jul 21	-13%	-23%	-22%	-10%	10%	-13%	-55%	-50%	-52%	5%	-5%	-22%
Aug 21	4%	15%	-5%	-12%	41%	-23%	-43%	-38%	-44%	54%	5%	-15%
Sep 21	-7%	6%	-8%	-14%	58%	-17%	-43%	-37%	-42%	59%	1%	-15%
Oct 21	-10%	-6%	-24%	-15%	46%	-19%	-43%	-36%	-44%	20%	-9%	-18%
Nov 21	-5%	10%	-19%	-10%	42%	-13%	-44%	-38%	-43%	34%	1%	-17%
Dec 21	-2%	14%	-12%	-14%	52%	-25%	-42%	-41%	-46%	84%	2%	-13%
Jan 22	5%	-12%	-27%	-18%	98%	-14%	-42%	-37%	-42%	48%	-7%	-16%
<b>Cumulative</b>	<b>-7.1%</b>	<b>3.0%</b>	<b>-12.1%</b>	<b>-7.9%</b>	<b>12.9%</b>	<b>-14.8%</b>	<b>-36.4%</b>	<b>-30.1%</b>	<b>-36.7%</b>	<b>20.5%</b>	<b>-7.6%</b>	<b>-8.1%</b>

### Outpatient disruptions and COVID-19 (1,048 health facilities)


Cumulative shortfall: -16.6%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### KOGI disruptions compared to average range of disruptions in all states





# Profile of Essential Health Service Utilization

## Family Planning (747 HFf)


Cumulative shortfall: -25.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC1 (1,006 HFf)


Cumulative shortfall: 16.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC4 (830 HFf)


Cumulative shortfall: 17.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Delivery (839 HFf)


Cumulative shortfall: -16.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## EBF (673 HFf)


Cumulative shortfall: -13.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## BCG (975 HFf)


Cumulative shortfall: -6.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Hyper tension (796 HFf)


Cumulative shortfall: -10.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Penta 3 (982 HFf)


Cumulative shortfall: -18.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Measles 1 (974 HFf)

Cumulative shortfall: -15.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-13%	3%	-13%	-15%	-20%	-20%	-19%	-28%	-27%	-8%	-5%	-26%
Apr 20	-11%	-4%	-14%	-14%	-30%	-6%	-1%	-6%	-8%	-19%	-13%	-21%
May 20	-14%	-8%	13%	-15%	-12%	-9%	-1%	3%	-2%	-14%	-12%	-23%
Jun 20	-16%	2%	-6%	-22%	-22%	-9%	8%	7%	-1%	-2%	-9%	-17%
Jul 20	-15%	-23%	0%	-18%	-11%	-15%	-10%	-14%	-14%	-18%	4%	-28%
Aug 20	-16%	-8%	26%	-17%	-7%	-4%	5%	2%	-7%	-19%	-5%	-29%
Sep 20	-24%	-1%	19%	-21%	-7%	8%	-2%	-6%	-9%	-14%	-3%	-17%
Oct 20	-20%	-19%	18%	-16%	-13%	3%				-12%	-30%	-25%
Dec 20	-20%	-33%	-9%	-23%	-27%	-41%	-16%	-16%	-26%	-40%	-12%	-47%
Jan 21	-14%	3%	1%	-25%	-30%	8%	6%	7%	5%	-24%	-14%	-23%
Feb 21	-29%			-27%								
Mar 21	-18%	12%		-36%			-35%	-45%	-42%			-43%
Apr 21											-53%	
May 21	-11%	111%										
Jun 21	-2%	118%	57%	-6%	-20%	-24%	-8%	-19%	-24%		-19%	-23%
Jul 21	-12%	31%	49%	-3%	13%	-30%	-20%	-35%	-35%	-8%	-5%	-32%
Aug 21	-13%	63%	65%	1%	42%	-30%	-7%	-19%	-27%	6%	-18%	-25%
Sep 21	-13%	71%	46%	-14%	18%	-15%	-7%	-22%	-20%	14%	-8%	-21%
Oct 21	-18%	70%	52%	-20%	56%	-16%	-4%	-17%	-21%	41%	-15%	-13%
Nov 21	-18%	34%	46%	-14%	16%	-19%	-8%	-27%	-27%	-1%	-10%	-27%
Dec 21	-33%	19%	21%	-9%	26%	-35%	3%	-16%	-22%	-23%	-10%	-36%
Jan 22	-22%	40%	26%	-16%	13%	-8%	-10%	-26%	-33%	-29%	-12%	-16%
<b>Cumulative</b>	<b>-16.6%</b>	<b>16.1%</b>	<b>17.3%</b>	<b>-16.2%</b>	<b>-4.7%</b>	<b>-13.4%</b>	<b>-6.1%</b>	<b>-15.2%</b>	<b>-18.6%</b>	<b>-10.0%</b>	<b>-10.4%</b>	<b>-25.0%</b>

# KWARA



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (648 health facilities)


Cumulative shortfall: -17.7%




### Affected services



### Data completeness



### KWARA disruptions compared to average range of disruptions in all states




# KWARA

## Profile of Essential Health Service Utilization

### Family Planning (540 HFIs)


Cumulative shortfall: -32.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (625 HFIs)


Cumulative shortfall: -17.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (574 HFIs)


Cumulative shortfall: -1.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (526 HFIs)


Cumulative shortfall: -17.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (366 HFIs)


Cumulative shortfall: -10.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (524 HFIs)


Cumulative shortfall: -10.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (432 HFIs)


Cumulative shortfall: 9.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (525 HFIs)


Cumulative shortfall: -24.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (528 HFIs)

Cumulative shortfall: -24.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-17%	-5%	8%	-35%	-5%	-16%	-8%	-14%	-17%	-11%	-11%	-26%
Apr 20	-29%	-26%	11%	-24%	-16%	-7%	-18%	-26%	-30%	27%	0%	-35%
May 20	-19%	-17%	31%	-26%	-18%	-20%	-21%	-28%	-33%	-1%	16%	-32%
Jun 20	-13%	-6%	22%	-19%	19%	-21%	-9%	-15%	-22%	37%	11%	-29%
Jul 20	-15%	-27%	-4%	-17%	-2%	-19%	-25%	-26%	-31%	-13%	-1%	-33%
Aug 20	-13%	-9%	5%	-15%	48%	-13%	-21%	-30%	-29%	-3%	9%	-22%
Sep 20	-21%	-9%	-20%	-21%	18%	-10%	-8%	-18%	-20%	28%	7%	-23%
Oct 20	-29%	1%	-3%	-14%	33%	8%	-5%	-15%	-12%	56%	-8%	-29%
Nov 20	-18%	-2%	-18%	-7%	75%	1%	2%	-11%	-10%	19%	1%	-27%
Dec 20	-20%	-10%	-8%	5%	105%	30%	15%	15%	-3%	33%	7%	-32%
Jan 21	-10%	-6%	-21%	-8%	77%	0%	-6%	-19%	-17%	-27%	25%	-21%
Feb 21	-9%	-16%	-31%	-16%	34%	-16%	-2%	-20%	-16%	29%	22%	-17%
Mar 21	-18%	-11%	4%	-32%	10%	-20%	-4%	-22%	-20%	11%	10%	-38%
Apr 21	-18%	-23%	-21%	-9%	24%	-11%	-10%	-29%	-30%	101%	10%	-34%
May 21	-14%	-27%	-6%	-19%	60%	-15%	-12%	-33%	-32%	52%	27%	-32%
Jun 21	-14%	-20%	-1%	-17%	70%	-17%	-1%	-23%	-19%	156%	31%	-36%
Jul 21	-17%	-38%	-12%	-19%	54%	-22%	-25%	-40%	-36%	46%	2%	-45%
Aug 21	-14%	-22%	13%	-17%	96%	-7%	-22%	-35%	-30%	51%	19%	-41%
Sep 21	-19%	-21%	-8%	-20%	70%	-7%	-9%	-29%	-27%	57%	4%	-33%
Oct 21	-18%	-27%	6%	-15%	69%	-15%	-21%	-40%	-33%	70%	18%	-40%
Nov 21	-22%	-19%	5%	-12%	93%	-8%	-12%	-38%	-33%	162%	-7%	-39%
Dec 21	-23%	-18%	22%	-17%	62%	-2%	3%	-29%	-22%	96%	15%	-36%
Jan 22	-16%	-20%	9%	-19%	77%	-13%	-1%	-25%	-24%	2%	12%	-29%
<b>Cumulative</b>	<b>-17.7%</b>	<b>-17.3%</b>	<b>-1.1%</b>	<b>-17.7%</b>	<b>38.7%</b>	<b>-10.9%</b>	<b>-10.1%</b>	<b>-24.5%</b>	<b>-24.1%</b>	<b>33.7%</b>	<b>9.3%</b>	<b>-32.6%</b>

# LAGOS


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,836 health facilities)

Cumulative shortfall: -21.1%




### Affected services




### Outpatient disruptions in November 2021



### Data completeness



### LAGOS disruptions compared to average range of disruptions in all states




# LAGOS

## Profile of Essential Health Service Utilization

### Family Planning (1,255 HFIs)


Cumulative shortfall: 0.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (1,599 HFIs)


Cumulative shortfall: 2.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (1,519 HFIs)


Cumulative shortfall: -20.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (1,437 HFIs)

Cumulative shortfall: 13.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (1,146 HFIs)


Cumulative shortfall: 3.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,081 HFIs)


Cumulative shortfall: 3.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (1,510 HFIs)


Cumulative shortfall: -12.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,082 HFIs)


Cumulative shortfall: 7.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,079 HFIs)

Cumulative shortfall: -13.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-15%	-5%	-12%	12%	89%	-11%	3%	-15%	-4%	-2%	-7%	-19%
Apr 20	-55%	-19%	-34%	6%	121%	-28%	-20%	-35%	-40%	-52%	-46%	-36%
May 20	-47%	4%	-26%	0%	111%	-10%	-6%	-19%	-22%	-52%	-45%	-12%
Jun 20	-37%	12%	-19%	5%	187%	27%	9%	-12%	6%	-51%	-31%	2%
Jul 20	-38%	-3%	-24%	13%	85%	-1%	-9%	-20%	-11%	-41%	-31%	-19%
Aug 20	-29%	0%	-27%	8%	229%	10%	10%	-9%	8%	-33%	-20%	-4%
Sep 20	-25%	0%	-15%	7%	372%	23%	5%	-9%	15%	-35%	-6%	5%
Oct 20	-25%	-15%	-27%	9%	111%	-3%	-6%	-16%	13%	-36%	-24%	-1%
Nov 20	-15%	-1%	-12%	20%	321%	17%	19%	-5%	21%	-31%	-18%	4%
Dec 20	-9%	11%	-22%	1%	222%	9%	4%	4%	21%	-33%	1%	12%
Jan 21	-9%	-7%	-29%	0%	142%	2%	-5%	-21%	-3%	-37%	-6%	5%
Feb 21	-13%	-1%	-22%	2%		5%	1%	-11%	5%	-38%	-1%	3%
Mar 21	-15%	6%	-10%	9%	-1193%	0%	5%	-9%	12%	-21%	10%	-7%
Apr 21	-18%	13%	-21%	23%	-713%	-7%	-9%	-13%	-4%	-7%	5%	-3%
May 21	-18%	6%	-4%	14%	-839%	3%	8%	-16%	9%	-18%	5%	14%
Jun 21	-2%	15%	-15%	21%	-1012%	16%	16%	-10%	22%	-4%	6%	26%
Jul 21	1%	-4%	-28%	37%	-1162%	-1%	5%	-6%	9%	-18%	-5%	18%
Aug 21	-5%	13%	-30%	23%		31%	24%	1%	43%	-1%	-1%	6%
Sep 21	-18%	9%	-19%	21%		16%	9%	-10%	27%	-11%	2%	
Oct 21	-25%	3%	-30%	13%	-377%		-9%	-30%	4%	-18%	-16%	11%
Nov 21	-19%	8%	-15%	20%	-842%	7%	19%	-14%	25%	-19%		4%
Dec 21		12%	-11%	48%	-437%	-6%	11%	-6%	25%	-20%		23%
Jan 22					-506%	-3%	6%	-25%	-3%			
<b>Cumulative</b>	<b>-21.1%</b>	<b>2.0%</b>	<b>-20.7%</b>	<b>13.0%</b>	<b>1145.1%</b>	<b>3.7%</b>	<b>3.1%</b>	<b>-13.6%</b>	<b>7.0%</b>	<b>-26.0%</b>	<b>-12.9%</b>	<b>0.6%</b>

# NASARAWA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (927 health facilities)


Cumulative shortfall: -22.6%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### NASARAWA disruptions compared to average range of disruptions in all states




# NASARAWA

## Profile of Essential Health Service Utilization

### Family Planning (866 HFIs)


Cumulative shortfall: -10.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (891 HFIs)


Cumulative shortfall: 4.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (838 HFIs)


Cumulative shortfall: -12.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (871 HFIs)


Cumulative shortfall: -27.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (692 HFIs)


Cumulative shortfall: -16.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (832 HFIs)


Cumulative shortfall: 1.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (670 HFIs)

Cumulative shortfall: -19.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (835 HFIs)

Cumulative shortfall: -7.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (828 HFIs)

Cumulative shortfall: -2.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-3%	6%	2%	1%	0%	2%	4%	5%	-2%	-2%	12%	3%
Apr 20	-7%	2%	-23%	-11%	-13%	2%	1%	4%	-2%	-2%	1%	12%
Jun 20	-52%	-4%		-41%			0%	-13%	-28%			-15%
Jul 20	-26%		-23%	-30%		-26%	-1%	-5%	-17%	-27%	-37%	-9%
Aug 20	-15%	14%	-24%	-27%	-2%	-16%	1%	-2%	-9%	-24%	-26%	-2%
Sep 20	-15%	3%	-15%	-23%	15%	-8%	14%	19%	12%	-17%	-18%	-5%
Oct 20	-15%	3%	-18%	-21%	5%	-21%	9%	6%	6%	-16%	-21%	-6%
Nov 20	-28%	1%	-20%	-17%	13%	-27%	-2%	-17%	-15%	-27%	-15%	-4%
Dec 20	-19%	12%	-2%	-25%	11%	-4%	27%	36%	20%	-18%	-18%	-8%
Jan 21	-12%	5%	-21%	-24%	18%	-10%	5%	-13%	-6%	-14%	-24%	-3%
Feb 21	-27%	-3%	-17%	-31%	-1%	-18%	-19%	-22%	-10%	-20%	-12%	-20%
Mar 21	-27%	12%	-8%	-29%	12%	-19%	-16%	-9%	-6%	-16%	-13%	-13%
Apr 21	-24%	-1%	-15%	-27%	16%	-24%	0%	-6%	-12%	-11%	-2%	-9%
May 21	-35%	5%	-25%	-31%	-4%	-24%	-8%	-14%	-23%	-15%	-29%	-22%
Jun 21	-32%	4%	5%	-31%	-1%	-16%	-1%	-5%	-12%	-15%	-32%	-8%
Jul 21	-30%	-11%	-10%	-35%	-12%	-22%	-10%	-14%	-18%	-25%	-33%	-18%
Aug 21	-15%	13%	-12%	-31%	-4%	-20%	10%	5%	-3%	-7%	-30%	-10%
Sep 21	-18%	12%	-7%	-33%	-6%	-8%	-9%	-5%	-7%	-19%	-20%	-17%
Oct 21	-24%	0%	-22%	-35%	4%	-22%	-6%	-7%	-8%	-19%	-9%	-19%
Nov 21	-20%	15%	7%	-31%	9%	-17%	3%	-16%	-10%	4%	-22%	-15%
Dec 21	-26%	4%	20%	-25%	18%	-19%	9%	-9%	-11%	-8%	-26%	-14%
Jan 22	-15%	4%	-12%	-31%	24%	-13%	24%	21%	3%	-16%	-35%	-18%
<b>Cumulative</b>	<b>-22.6%</b>	<b>4.5%</b>	<b>-12.2%</b>	<b>-27.1%</b>	<b>5.0%</b>	<b>-16.1%</b>	<b>1.2%</b>	<b>-2.9%</b>	<b>-7.1%</b>	<b>-14.8%</b>	<b>-19.6%</b>	<b>-10.3%</b>

# NIGER


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,486 health facilities)


Cumulative shortfall: 8.4%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### NIGER disruptions compared to average range of disruptions in all states




# NIGER

## Profile of Essential Health Service Utilization

### Family Planning (1,181 HF)


Cumulative shortfall: -9.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (1,403 HF)

Cumulative shortfall: 10.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (1,292 HF)


Cumulative shortfall: -2.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (1,228 HF)


Cumulative shortfall: -7.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (852 HF)

Cumulative shortfall: -1.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (1,305 HF)


Cumulative shortfall: -11.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (884 HF)

Cumulative shortfall: -0.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (1,311 HF)


Cumulative shortfall: -13.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (1,309 HF)

Cumulative shortfall: -15.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-4%	-4%	15%	-11%	2%	-2%	-11%	-12%	-9%	7%	-11%	-9%
Apr 20	-6%	-3%	-10%	-17%	-17%	-15%	-13%	-18%	-21%	0%	-19%	-17%
May 20	-5%	-15%	-20%	-14%	-30%	-19%	-25%	-26%	-34%	-7%	-5%	-15%
Jun 20	12%	21%	10%	-5%	-5%	-2%	4%	5%	-3%	3%	-8%	6%
Jul 20	-12%	-5%	-9%	-14%	-6%	-11%	-24%	-20%	-21%	2%	5%	0%
Aug 20	-9%	7%	-2%	-7%		-17%	-18%	-16%	-26%	0%	-11%	-1%
Sep 20	-4%	15%	-6%	-4%	66%	2%	-4%	-4%	-3%	4%	-11%	20%
Oct 20	-16%	15%	-11%	1%	58%	6%	-11%	-16%	-11%	6%	-27%	9%
Nov 20	-5%	20%	-10%	-3%	69%	15%	19%	23%	23%	15%	12%	0%
Dec 20	-10%	16%	-10%	-8%	98%	22%	5%	16%	16%	2%	14%	-12%
Jan 21	7%	7%	-15%	-3%	74%	-20%	-20%	-22%	-17%	12%	6%	-10%
Feb 21	10%	5%	-12%	-2%	16%	-12%	-14%	-14%	-10%	29%	27%	-12%
Mar 21	9%	12%	7%	-14%	99%	16%	-26%	-14%	-11%	31%	-16%	-17%
Apr 21	14%	11%	-6%	-11%	63%	-11%	-13%	-23%	-21%	24%	7%	-3%
May 21	23%	0%	-17%	-16%	39%	-10%	-24%	-34%	-31%	16%	-8%	-14%
Jun 21	32%	23%	15%	-7%	110%	2%	-6%	-16%		48%	-23%	-6%
Jul 21	11%	3%	-17%	-11%	135%		-22%	-27%	-25%	39%	-4%	-21%
Aug 21	27%	12%	0%	-5%	104%	6%	-15%	-22%	-20%	42%	36%	-10%
Sep 21	18%	25%	3%	-14%	189%	-5%		-19%			13%	-10%
Oct 21	26%	30%	11%	-5%	152%	-9%	-8%	-17%	-11%	38%	6%	-16%
Nov 21	34%	26%	22%	-3%	277%	31%	-5%	-18%	-14%	48%	3%	-23%
Dec 21	19%	25%	32%	2%	214%	28%	-8%	-22%	-16%	39%	11%	-19%
Jan 22	47%	15%	4%	1%	159%	-15%	-8%	-21%	-14%	40%	13%	-17%
<b>Cumulative</b>	<b>8.4%</b>	<b>10.9%</b>	<b>-2.4%</b>	<b>-7.3%</b>	<b>64.4%</b>	<b>-1.3%</b>	<b>-11.6%</b>	<b>-15.0%</b>	<b>-13.7%</b>	<b>17.9%</b>	<b>-0.5%</b>	<b>-9.0%</b>

# OGUN


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,021 health facilities)


Cumulative shortfall: -33.8%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### OGUN disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization


## Family Planning (808 HFIs)

Cumulative shortfall: -30.3%




## ANC1 (955 HFIs)

Cumulative shortfall: -0.4%




## ANC4 (878 HFIs)

Cumulative shortfall: -2.9%




## Delivery (854 HFIs)

Cumulative shortfall: 3.3%




## EBF (696 HFIs)

Cumulative shortfall: -1.7%




## BCG (695 HFIs)

Cumulative shortfall: 11.8%




## Hyper tension (554 HFIs)

Cumulative shortfall: -7.8%




## Penta 3 (693 HFIs)

Cumulative shortfall: 2.6%



## Measles 1 (687 HFIs)


Cumulative shortfall: -9.0%





	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-23%	-4%	-2%	10%	-41%	-6%	8%	-15%	-9%	-9%	-17%	-18%
Apr 20	-57%	-21%	0%	-6%	-45%	-19%	-12%	-27%	-23%	-37%	-49%	-46%
May 20	-57%	-4%	-9%	-6%	-46%	-11%	2%	-19%	-13%	-52%	-49%	-32%
Jun 20	-42%	14%	-2%	4%	-40%	6%	18%	-9%	2%	-42%	-11%	-20%
Jul 20	-39%	-5%	-11%	0%	-28%	1%	8%	-4%	7%	-53%	-19%	-16%
Aug 20	-21%	-5%	-4%	1%	-27%	2%	5%	-5%	9%	-35%	-10%	-5%
Sep 20	-33%	-4%	15%	-8%	-33%	17%	16%	1%	14%	-30%	-14%	-11%
Oct 20	-28%	-7%	4%	-3%	-35%	0%	15%	1%	13%	-30%	-13%	-19%
Nov 20	-22%	1%	-13%	6%	-27%	11%	29%	6%	26%	-44%	7%	-16%
Dec 20	-24%	7%	18%	-8%	-29%	21%	20%	9%	23%	-29%	9%	-16%
Jan 21	-23%	2%	-1%		-34%	-3%	4%	-9%	0%	-43%	1%	-26%
Feb 21	-27%	9%	-12%	8%	-16%	-6%	17%	5%	21%	-32%	-7%	-25%
Mar 21	-32%	8%	9%	8%	-10%	-12%	15%	-16%	-3%	-16%	11%	-38%
Apr 21	-47%	0%	-2%	0%	-13%	-11%	3%	-16%	-5%	-16%	-31%	-41%
May 21	-45%	-1%	1%	10%	-6%	-7%	16%	-15%	0%	-18%	-2%	-37%
Jun 21	-25%	2%	-1%	22%	6%	1%	32%	-7%	10%	5%	27%	-44%
Jul 21	-21%	-9%	-10%	6%	10%	-12%	6%	-14%	-9%	-34%	3%	-42%
Aug 21	-29%	-1%	-10%	-1%	2%	-5%	10%	-12%	-2%	-29%	-5%	-38%
Sep 21	-31%	12%	0%	-2%	-2%	6%	16%			-29%	10%	-41%
Oct 21	-38%	-3%	-20%	-4%	1%	-11%	6%	-14%	-23%	-49%	6%	-41%
Nov 21	-27%	9%	-12%	4%	-11%	-5%	16%	-14%	7%	-49%	5%	-43%
Dec 21	-38%	5%	3%	11%	7%		19%	-8%	13%		2%	-39%
Jan 22	-37%	-6%	-2%	18%	15%		12%	-12%	4%	-44%		-40%
<b>Cumulative</b>	<b>-33.8%</b>	<b>-0.4%</b>	<b>-2.9%</b>	<b>3.3%</b>	<b>-18.6%</b>	<b>-1.7%</b>	<b>11.8%</b>	<b>-9.0%</b>	<b>2.6%</b>	<b>-31.5%</b>	<b>-7.8%</b>	<b>-30.3%</b>

### Outpatient disruptions and COVID-19 (690 health facilities)


Cumulative shortfall: -16.6%




### Affected services



### Data completeness



### ONDO disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization

## Family Planning (627 HFIs)


Cumulative shortfall: 0.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC1 (670 HFIs)


Cumulative shortfall: 4.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC4 (639 HFIs)


Cumulative shortfall: 5.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Delivery (647 HFIs)


Cumulative shortfall: -4.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## EBF (629 HFIs)


Cumulative shortfall: 4.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## BCG (615 HFIs)


Cumulative shortfall: 19.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Hyper tension (491 HFIs)


Cumulative shortfall: -26.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Penta 3 (617 HFIs)


Cumulative shortfall: 11.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Measles 1 (616 HFIs)

Cumulative shortfall: 4.6%




Jul 18 Apr 19 Jan 20 Oct 20 Jul 21



	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-4%	4%	-7%	3%	12%	6%	12%	4%	11%	-5%	1%	5%
Apr 20	-20%	-2%	-19%	0%	2%	7%	7%	-1%	6%	-16%	-36%	1%
May 20	-30%	7%	1%	4%	-5%	4%	9%	1%	6%	-29%	-21%	7%
Jun 20	-13%	21%	7%	-2%	-3%	21%	18%	6%	11%	-41%	-10%	15%
Jul 20	-32%	2%	-7%	-5%	-14%	20%	8%	0%	7%	-33%	-22%	1%
Aug 20	-23%	11%	10%	-9%	-4%	13%	14%	0%	7%	-32%	-23%	3%
Sep 20	-16%	15%	13%	-9%	-4%	22%	18%	7%	12%	-23%	-10%	2%
Oct 20	-9%	-3%	5%	-7%	-7%	27%	7%	-4%	7%	-22%	-25%	-9%
Nov 20	9%	6%	8%	0%	8%	21%	16%	0%	8%	-20%	-10%	-11%
Dec 20	-1%	1%	18%	-7%	3%	27%	23%	14%	17%	-37%	-18%	-5%
Jan 21	-8%	-3%	21%	-8%	40%	17%	10%	-1%	6%	-52%	-34%	4%
Feb 21	-20%	-2%	-8%	-10%	22%	21%	16%	3%	11%	-33%	-43%	5%
Mar 21	-27%	12%	-12%	-14%	26%	24%	21%	7%	17%	-26%	-36%	0%
Apr 21	-20%	3%	-6%	-2%	24%	21%	16%	3%	11%	-14%	-47%	16%
May 21	-17%	7%	50%	7%	36%	14%	23%	8%	12%	-7%	-32%	13%
Jun 21	-5%	12%	16%	0%	28%	28%	39%	15%	21%	-26%	-29%	14%
Jul 21	-29%	-6%	-1%	-1%	41%	15%	24%	5%	8%	-37%	-35%	-1%
Aug 21	-10%	5%	16%	-8%	27%	-12%	26%	5%	15%	-31%	-35%	-5%
Sep 21	-16%	9%	5%	-10%	22%	-25%	30%	9%		-37%	-36%	9%
Oct 21	-24%	0%	15%	-9%	29%	-36%	19%	2%	17%	-34%	-29%	-2%
Nov 21	-15%	14%	21%	-9%	32%	-37%	25%	4%	12%	-33%	-40%	-10%
Dec 21	-17%					-34%	37%	15%	18%	-42%		-14%
Jan 22	-26%	-9%			38%	-43%	29%	6%	9%	-54%	-23%	-14%
<b>Cumulative</b>	<b>-16.6%</b>	<b>4.2%</b>	<b>5.3%</b>	<b>-4.3%</b>	<b>15.1%</b>	<b>4.6%</b>	<b>19.2%</b>	<b>4.6%</b>	<b>11.4%</b>	<b>-29.0%</b>	<b>-26.7%</b>	<b>0.6%</b>

### Outpatient disruptions and COVID-19 (916 health facilities)


Cumulative shortfall: -31.0%




### Affected services



### Data completeness



### OSUN disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization

## Family Planning (785 HFIs)


Cumulative shortfall: 2.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC1 (827 HFIs)


Cumulative shortfall: -20.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC4 (786 HFIs)


Cumulative shortfall: 0.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Delivery (709 HFIs)


Cumulative shortfall: -0.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## EBF (768 HFIs)


Cumulative shortfall: -6.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## BCG (838 HFIs)

Cumulative shortfall: 26.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Hyper tension (434 HFIs)


Cumulative shortfall: -22.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Penta 3 (841 HFIs)


Cumulative shortfall: 1.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Measles 1 (841 HFIs)

Cumulative shortfall: -3.1%




Jul 18 Apr 19 Jan 20 Oct 20 Jul 21



	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-11%	-4%	13%	-1%	-29%	-8%	10%	-7%	-5%	-27%	1%	-9%
Apr 20	-33%	-25%	-18%	-4%	-13%	-22%	-5%	-20%	-23%	-31%	-44%	-24%
May 20	-32%	-13%	-13%	1%	-24%	-15%	-1%	-12%	-20%	-34%	-42%	7%
Jun 20	-14%	10%	-6%	-7%	-24%	0%	16%	6%	-2%	-24%	-14%	28%
Jul 20	-21%	-7%	-7%	5%	-15%	-4%	3%	-6%	-11%	-44%	-48%	13%
Aug 20	-27%	-7%	10%	3%	11%	-1%	11%	-3%	-4%	-32%	-4%	14%
Sep 20	-35%	-19%	15%	9%	30%	0%	18%	7%	12%	-43%	-38%	15%
Oct 20	-35%	-23%	-17%	0%	-15%	-12%	4%	-5%	6%	-31%	-17%	-4%
Nov 20	-28%	-20%	13%	13%	6%	-1%	20%	-20%	2%	-43%	13%	-3%
Dec 20	-28%	-5%	-5%	3%	-9%	-1%	41%	15%	20%	-39%		4%
Jan 21	-31%	-22%	-8%	-7%	-20%	-8%	15%	-7%	-3%	-50%	-24%	-15%
Feb 21	-35%	-20%	7%	-5%	10%	-14%	33%	-1%	10%	-56%	-33%	0%
Mar 21	-33%	-19%	16%	-7%	-6%	-3%	49%	2%	12%	-52%	-22%	-3%
Apr 21	-37%	-26%	-3%	4%	9%	-11%	39%	-2%	2%	-36%	-12%	-5%
May 21	-34%	-30%	4%	4%	2%	-17%	31%	-9%	-3%	-47%	-8%	4%
Jun 21	-24%	-4%	12%	10%	-9%	4%	54%	14%	14%	-42%	-1%	17%
Jul 21	-32%	-33%	-14%	-7%	-13%	-5%	29%	-8%	-3%	-36%	-35%	13%
Aug 21	-29%	-23%	15%	-8%	0%	3%	52%	8%	12%	-44%	-20%	7%
Sep 21	-32%	-32%	2%	2%	-3%	6%	54%	23%	15%	-50%	-54%	18%
Oct 21	-42%	-37%	-8%	-10%	-12%	-10%	22%	-13%	1%	-55%	-23%	-5%
Nov 21	-32%	-28%	16%	-3%	3%	-17%	50%	-21%	1%	-58%	-31%	-4%
Dec 21	-39%	-31%	11%	1%	2%	7%	88%	7%	20%	-52%	11%	4%
Jan 22	-39%	-32%	0%	-2%	-14%	-8%	57%	-3%	3%	-55%	-9%	-7%
<b>Cumulative</b>	<b>-31.0%</b>	<b>-20.7%</b>	<b>0.8%</b>	<b>-0.3%</b>	<b>-6.1%</b>	<b>-6.5%</b>	<b>26.5%</b>	<b>-3.1%</b>	<b>1.9%</b>	<b>-43.7%</b>	<b>-22.4%</b>	<b>2.2%</b>

### Outpatient disruptions and COVID-19 (1,435 health facilities)


Cumulative shortfall: -8.7%




### Affected services



### Data completeness



### OYO disruptions compared to average range of disruptions in all states






# Profile of Essential Health Service Utilization

## Family Planning (1,055 HFIs)


Cumulative shortfall: -0.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC1 (1,209 HFIs)


Cumulative shortfall: 1.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## ANC4 (1,123 HFIs)


Cumulative shortfall: -32.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Delivery (1,140 HFIs)


Cumulative shortfall: -3.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## EBF (838 HFIs)


Cumulative shortfall: 8.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## BCG (980 HFIs)


Cumulative shortfall: -10.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Hyper tension (932 HFIs)


Cumulative shortfall: -5.5%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Penta 3 (973 HFIs)

Cumulative shortfall: 1.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

## Measles 1 (974 HFIs)

Cumulative shortfall: -13.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20		-14%	-9%	-1%	14%	-1%	-3%	-7%	0%	1%	-6%	-10%
Apr 20		-14%		4%	17%	-13%	-10%	-14%	-8%		-36%	1%
May 20	-43%	-20%	-18%	-1%	16%	-4%	-8%	-11%	-1%		-22%	-3%
Jun 20	-20%	-12%	-4%	25%	33%	10%	4%	-2%	16%	-33%	-2%	9%
Jul 20	-30%	-10%	-22%	-1%	33%		-9%	-14%	0%		-6%	-8%
Aug 20		23%	-17%	-28%	136%		-3%	-12%	3%	-18%	-6%	12%
Sep 20	-12%	4%	-25%	1%	154%	17%	-1%	-16%	3%	-24%	-2%	3%
Oct 20	-9%	5%	-34%	-4%	146%	10%	-8%	-2%	14%	-7%	-22%	-13%
Nov 20	5%	17%	-28%	-1%	167%	7%	-4%	-14%	13%	-10%	-10%	-8%
Dec 20	0%	8%	-29%	-8%	118%	4%	-6%	-12%	4%	-12%	-4%	-7%
Jan 21	11%	-11%	-37%	-10%	125%	1%	-13%	-18%	-6%	-26%	-4%	-3%
Feb 21	-9%	-7%	-38%	-7%	156%	11%	-10%	-15%	2%	-28%	-14%	18%
Mar 21	-14%	-7%	-35%	-10%	201%	12%	-9%	-6%	13%	-19%	-3%	11%
Apr 21	-10%	-10%	-43%	-3%	233%	-7%	-19%	-16%	-2%	-6%	-18%	9%
May 21	-20%	-10%	-39%	-1%	223%	13%	-15%	-13%	5%	-1%	-8%	9%
Jun 21	5%	-5%	-33%	-4%	311%	25%	-8%	-8%	15%	-1%	6%	8%
Jul 21	-10%	0%	-45%	-11%	217%	7%	-20%	-16%	-2%	-7%	4%	-16%
Aug 21	0%	43%	-40%	-2%	217%	22%	-9%	-12%	3%	-3%	0%	2%
Sep 21	4%	27%	-40%	-7%	231%	25%	-14%	-19%	-17%	-13%	4%	9%
Oct 21	0%	15%	-42%	-12%	180%	4%	-25%	-22%	-21%	-22%	1%	-9%
Nov 21	-4%	39%	-37%	-9%	233%	28%	-13%	-20%	7%	-12%	15%	-3%
Dec 21	-2%	43%	-32%	-1%	251%	12%	-12%	-11%	-8%	-16%	7%	-7%
Jan 22	-12%	2%	-40%	-4%	246%	0%	-16%	-19%		-29%	7%	-4%
<b>Cumulative</b>	<b>-8.7%</b>	<b>1.5%</b>	<b>-32.2%</b>	<b>-3.8%</b>	<b>155.3%</b>	<b>8.5%</b>	<b>-10.4%</b>	<b>-13.3%</b>	<b>1.6%</b>	<b>-14.6%</b>	<b>-5.5%</b>	<b>-0.4%</b>

# PLATEAU



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (1,166 health facilities)


Cumulative shortfall: -13.2%




### Affected services



### Data completeness



### PLATEAU disruptions compared to average range of disruptions in all states




# PLATEAU

## Profile of Essential Health Service Utilization


### Family Planning (1,101 HFIs)

Cumulative shortfall: -23.3%




### ANC1 (1,052 HFIs)

Cumulative shortfall: -6.1%




### ANC4 (952 HFIs)

Cumulative shortfall: -34.1%




### Delivery (853 HFIs)

Cumulative shortfall: -4.0%




### EBF (865 HFIs)

Cumulative shortfall: -3.3%




### BCG (1,153 HFIs)

Cumulative shortfall: 23.2%




### Hyper tension (874 HFIs)

Cumulative shortfall: -5.8%




### Penta 3 (1,161 HFIs)

Cumulative shortfall: -1.4%



### Measles 1 (1,154 HFIs)

Cumulative shortfall: -8.3%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-5%	-1%	-16%	-2%	2%	-3%	7%	-3%	0%	-7%	2%	15%
Apr 20	-15%	-15%	-11%	-13%	-14%	-15%	-1%	-18%	-16%	-9%	1%	-1%
May 20	-24%	-8%	-11%	-8%	11%	-7%	-4%	-26%	-21%	-24%	-3%	-12%
Jun 20	-27%	6%	-11%	2%	-3%	-3%	22%	8%	2%	-30%	-23%	0%
Jul 20	-22%	-5%	-18%	-4%	24%	1%	0%	-16%	-9%	-19%	-7%	-7%
Aug 20	-26%	3%	-25%	-9%	6%	-14%	-4%	-14%	-10%	-13%	-5%	8%
Sep 20	-27%	-8%	-21%	-17%	-8%	-14%	12%	-13%	-9%	-17%	34%	-12%
Oct 20	-14%	-9%	-28%	-7%	7%	-21%	20%	7%	5%	3%	1%	-34%
Nov 20	-15%	-10%	-22%	0%	-3%	-31%	18%	-9%	-2%	-12%	-6%	-18%
Feb 21	-16%	-2%	-40%	-8%	51%	-12%	31%	-6%	-14%	-8%	-9%	-32%
Mar 21	-29%	14%	-45%	-14%	89%	0%	35%	-2%	-2%	2%	9%	-27%
Apr 21	-24%	-5%	-41%	-13%	82%	6%	21%	-15%	-8%	-11%	-2%	-44%
May 21	-18%	-5%	-36%	-1%	133%	0%	15%	-27%	-17%	-18%	-25%	-23%
Jun 21	-7%	-4%	-36%	10%	147%	10%	53%	2%	11%	-6%	-29%	-29%
Jul 21	-10%	-22%	-48%	-2%	130%	0%	16%	-24%	-7%	-25%	9%	-42%
Aug 21	-6%	-7%	-46%	-8%	189%	-5%	39%	-10%	5%	-11%	4%	-43%
Sep 21	0%	3%	-43%	-4%	143%	16%	55%	4%	20%	4%	-4%	-33%
Oct 21	-5%	-8%	-48%	-5%	112%	-2%	35%	-6%	11%	-24%	-18%	-22%
Nov 21	2%	-15%	-50%	15%	148%	2%	51%	-5%	16%	-21%	-5%	-30%
Dec 21	2%	0%	-44%	-2%	121%	16%	69%	7%	17%	-12%	-6%	-31%
Jan 22	-9%	-21%	-52%	2%	94%	7%	49%	6%	13%	-14%	-21%	-38%
<b>Cumulative</b>	<b>-13.2%</b>	<b>-6.1%</b>	<b>-34.1%</b>	<b>-4.0%</b>	<b>62.2%</b>	<b>-3.3%</b>	<b>23.2%</b>	<b>-8.3%</b>	<b>-1.4%</b>	<b>-13.8%</b>	<b>-5.8%</b>	<b>-23.3%</b>

# RIVERS


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (448 health facilities)


Cumulative shortfall: -27.2%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### RIVERS disruptions compared to average range of disruptions in all states




# RIVERS

## Profile of Essential Health Service Utilization


### Family Planning (424 HFIs)

Cumulative shortfall: 12.1%




### ANC1 (382 HFIs)

Cumulative shortfall: -7.5%




### ANC4 (354 HFIs)

Cumulative shortfall: -32.8%




### Delivery (274 HFIs)

Cumulative shortfall: 1.3%




### EBF (451 HFIs)

Cumulative shortfall: 5.9%




### BCG (480 HFIs)

Cumulative shortfall: 3.9%




### Hyper tension (276 HFIs)

Cumulative shortfall: -15.6%




### Penta 3 (480 HFIs)

Cumulative shortfall: -5.4%



### Measles 1 (479 HFIs)

Cumulative shortfall: -10.2%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-7%	21%	-10%	1%	-14%	-9%	-10%	-18%	-11%	-7%	-13%	5%
Apr 20	-26%	-7%	-20%	-5%	-22%	-6%	-8%	-15%	-16%	-35%	-34%	2%
May 20	-43%	-14%	-39%	-13%	-21%	-17%	-17%	-24%	-22%	-79%	-37%	-7%
Jun 20	-26%	-54%	-35%	-3%	-11%	-12%	-7%	-21%	-14%	-66%	-29%	-28%
Jul 20	-32%	-4%	-16%	-1%	14%	-5%	-5%	-13%	-10%	-48%	-22%	6%
Aug 20	-31%	2%	-22%	4%	3%	13%	7%	-7%	-3%	-43%	-19%	14%
Sep 20	-32%	3%	-2%	-2%	49%	16%	12%	-1%	4%	-60%	-1%	42%
Oct 20	-32%	17%	-23%	-6%	55%	11%	8%	-5%	0%	-56%	-11%	46%
Nov 20	-30%	-44%	-31%	4%	9%	-4%	-9%	-19%	-11%	-53%	-18%	-5%
Dec 20	-17%	-3%	-20%	-11%	85%	22%	20%	9%	15%	-33%	-9%	49%
Jan 21	-22%	11%	-25%	5%	33%	9%	12%	2%	4%	-35%	-9%	41%
Feb 21			-16%	-9%						-48%		29%
Mar 21	-24%	32%	-11%	3%	51%	5%	9%	-5%	-2%	-33%	-14%	18%
Apr 21	-12%	3%	-34%	18%	76%	15%	4%	-12%	-10%	-53%	-18%	20%
May 21	-19%	1%	-51%	2%	92%	9%	1%	-13%	-11%	-54%	-13%	9%
Jun 21	-28%	-52%	-53%	16%	65%	1%	5%	-13%	-6%	-64%	3%	-2%
Jul 21	-12%	13%	-41%	6%	99%		-5%	-21%	-14%	13%	-11%	11%
Aug 21	-16%	9%	-54%	-3%	50%	21%	16%	-2%	2%	-29%	-15%	4%
Sep 21	-33%	94%	-45%	4%	148%	38%	29%	7%	11%	-2%	-3%	38%
Oct 21	-39%	8%	-52%	-11%	146%	14%	5%	-15%	-10%	-40%	-14%	21%
Nov 21	-31%	-30%	-51%	5%	80%	-2%	-6%	-27%		-50%	-17%	-24%
Dec 21	-30%		-41%	7%	211%	26%	32%	7%	4%	-43%	-13%	20%
Jan 22	-52%	16%	-48%	21%	168%	13%	27%	1%	0%	-41%	-28%	0%
<b>Cumulative</b>	<b>-27.2%</b>	<b>-7.5%</b>	<b>-32.8%</b>	<b>1.3%</b>	<b>44.0%</b>	<b>5.9%</b>	<b>3.9%</b>	<b>-10.2%</b>	<b>-5.4%</b>	<b>-43.6%</b>	<b>-15.6%</b>	<b>12.1%</b>

# SOKOTO


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (842 health facilities)


Cumulative shortfall: -1.1%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### SOKOTO disruptions compared to average range of disruptions in all states




# SOKOTO

## Profile of Essential Health Service Utilization

### Family Planning (749 HFIs)


Cumulative shortfall: 1.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (686 HFIs)


Cumulative shortfall: -7.0%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (649 HFIs)


Cumulative shortfall: -35.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (601 HFIs)


Cumulative shortfall: -25.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (468 HFIs)

Cumulative shortfall: 77.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (600 HFIs)


Cumulative shortfall: -4.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (652 HFIs)


Cumulative shortfall: 13.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (600 HFIs)


Cumulative shortfall: 6.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (600 HFIs)

Cumulative shortfall: 10.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	7%	6%	-24%	-13%	-12%	8%	33%	2%	3%	2%	14%	15%
Apr 20	-1%	-10%	-33%	-17%	-30%	1%	-3%	-4%	-6%	4%	6%	5%
May 20	-12%	-25%	-45%	-30%	-46%	27%	-17%	-7%	-6%	4%	-10%	-21%
Jun 20	-13%	6%	-26%	-21%	-28%	5%	1%	7%	2%	-11%	4%	-3%
Jul 20	-22%	-6%	-37%	-28%	-32%	28%	-13%	-2%	-9%	-15%	-11%	-11%
Aug 20	1%	-4%	-27%	-20%	-26%	43%	-4%	9%	2%	4%	14%	-4%
Sep 20	-10%	2%	-24%	-26%	-31%	44%	7%	14%	12%	-1%	12%	1%
Oct 20	-8%	-8%	-28%	-20%	-27%	84%	17%	35%	34%	5%	3%	15%
Nov 20	0%	4%	-25%	-23%	-23%	50%	-3%	40%	32%	10%	1%	7%
Dec 20	7%	4%	-9%	-26%	-27%	85%	6%	46%	27%	23%	27%	18%
Jan 21	-3%	-22%	-39%	-27%	-24%	29%	-6%	-1%	3%	1%	10%	-6%
Feb 21				-27%						23%		
Mar 21										22%		
Apr 21				-30%	-6%		-5%	10%	5%	17%		
May 21	-13%	-12%	-56%	-30%	-13%	243%	-16%	5%	4%	25%	12%	-21%
Jun 21	-1%	-11%	-26%	-28%	-4%	115%	-2%	12%	10%	9%	12%	6%
Jul 21	-11%	-20%	-54%	-32%	-4%	227%	-14%	3%	-1%	17%	20%	-2%
Aug 21	6%	-5%	-47%	-24%	10%	153%	-11%	8%	2%	88%	41%	6%
Sep 21	-1%	-5%	-36%	-26%	6%	163%	-10%	13%	4%	82%	22%	5%
Oct 21	3%	-10%	-50%	-23%	8%	143%	-15%	4%	3%	40%	29%	17%
Nov 21	12%	-1%	-35%	-23%	15%	163%	-4%	14%	7%	38%	9%	13%
Dec 21	12%	-3%	-27%	-24%	31%	188%	-4%	11%	7%	71%	44%	0%
Jan 22	26%	-17%	-41%	-29%	45%	87%	-11%	-4%	-2%	56%	21%	-12%
<b>Cumulative</b>	<b>-1.1%</b>	<b>-7.0%</b>	<b>-35.1%</b>	<b>-25.1%</b>	<b>-10.3%</b>	<b>77.4%</b>	<b>-4.1%</b>	<b>10.1%</b>	<b>6.4%</b>	<b>26.3%</b>	<b>13.7%</b>	<b>1.7%</b>

# TARABA


## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (916 health facilities)


Cumulative shortfall: -32.4%




### Affected services




### Outpatient disruptions in January 2022



### Data completeness



### TARABA disruptions compared to average range of disruptions in all states



# TARABA

## Profile of Essential Health Service Utilization


### Family Planning (611 HFIs)

Cumulative shortfall: -35.5%




### ANC1 (758 HFIs)

Cumulative shortfall: -22.6%




### ANC4 (684 HFIs)

Cumulative shortfall: -31.9%




### Delivery (657 HFIs)

Cumulative shortfall: -58.4%




### EBF (391 HFIs)

Cumulative shortfall: -45.8%




### BCG (664 HFIs)

Cumulative shortfall: -15.2%




### Hyper tension (632 HFIs)

Cumulative shortfall: -22.6%




### Penta 3 (671 HFIs)

Cumulative shortfall: -14.5%



### Measles 1 (658 HFIs)

Cumulative shortfall: -9.9%




	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	0%	-3%	4%	1%	19%	19%	-16%	-7%	-10%	4%	10%	20%
Apr 20	-17%	-3%	-9%	-28%	-22%	-2%	-12%	-9%	-12%	-14%	-23%	-9%
May 20	-29%	-20%	-29%	-39%	-38%	-24%	-26%	-25%	-30%	-24%	-15%	-19%
Jun 20	-26%	-10%	-31%	-38%	-26%	-21%	-12%	-16%	-20%	-3%	-25%	-20%
Jul 20	-24%	-9%	-15%	-41%	-41%	-23%	-14%	-11%	-16%	-24%	-14%	-31%
Aug 20	-32%	-16%	-35%	-52%	-41%	-33%	-17%	-12%	-17%	-21%	-23%	-16%
Sep 20	-36%	-19%	-29%	-52%	-41%	-16%	-8%	-5%	-6%	-6%	-11%	-33%
Oct 20	-32%	-16%	-30%	-56%	-28%	-54%	3%	20%	1%	-7%	-25%	-37%
Nov 20	-38%		-31%	-57%	8%	-51%	-10%	-3%	-6%	-15%		-22%
Dec 20	-37%		-24%	-55%	3%	-64%	14%	33%	3%	-23%	-30%	-30%
Jan 21	-32%	-23%	-44%	-60%	14%	-65%	-18%	-17%	-18%	-18%	-34%	-42%
Feb 21	-28%	-25%	-43%	-64%	-5%	-70%	-21%	-24%	-19%	-6%	-36%	-34%
Mar 21	-42%	-32%	-42%	-66%	-29%	-55%	-33%		-21%	-17%	-28%	-42%
Apr 21	-39%	-31%	-38%	-65%	-23%	-60%	-29%	-26%	-29%	-5%	-33%	-36%
May 21	-34%	-35%	-40%	-68%	-29%	-57%	-23%	-24%	-26%	-3%	-10%	-45%
Jun 21	-35%	-29%	-41%	-67%	-12%	-63%	-21%	-26%	-25%	-14%	-27%	-46%
Jul 21	-30%	-32%	-44%	-68%	-24%	-58%	-22%	-23%	-22%	-19%	-17%	-56%
Aug 21	-33%	-29%	-42%	-67%	-34%	-50%	-10%	-4%	-11%	-9%	-30%	-46%
Sep 21	-32%	-21%	-30%	-69%	3%	-56%	-12%	-3%	-4%	-12%	-28%	-42%
Oct 21	-37%	-29%	-40%	-72%	-16%	-66%	-18%	-4%	-4%	0%	-34%	-46%
Nov 21	-41%	-38%	-40%	-71%	-17%	-68%	-24%	-14%	-19%	-9%		-42%
Dec 21	-38%	-16%		-66%	-22%	-71%	0%	-8%	-8%	1%	-24%	-42%
Jan 22	-37%	-39%	-40%	-70%	-12%	-63%	-13%	-7%	-12%	-22%	-33%	-58%
<b>Cumulative</b>	<b>-32.4%</b>	<b>-22.6%</b>	<b>-31.9%</b>	<b>-58.4%</b>	<b>-18.6%</b>	<b>-45.8%</b>	<b>-15.2%</b>	<b>-9.9%</b>	<b>-14.5%</b>	<b>-11.7%</b>	<b>-22.6%</b>	<b>-35.5%</b>

# YOBE



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (535 health facilities)


Cumulative shortfall: -51.1%




### Affected services



### Data completeness



### YOBE disruptions compared to average range of disruptions in all states






## Profile of Essential Health Service Utilization

### Family Planning (399 HF)


Cumulative shortfall: -53.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (417 HF)


Cumulative shortfall: -43.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (405 HF)


Cumulative shortfall: -60.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (348 HF)


Cumulative shortfall: -61.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (413 HF)


Cumulative shortfall: 2.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (460 HF)


Cumulative shortfall: -9.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (462 HF)


Cumulative shortfall: -34.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (465 HF)


Cumulative shortfall: 1.6%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (463 HF)

Cumulative shortfall: -9.3%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21


	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	4%	-1%	-5%	8%	3%	44%	8%	0%	7%	26%	14%	9%
Apr 20	-25%	-18%	-20%	-19%	-25%	8%	-14%	-13%	-10%	1%	5%	-20%
May 20	-35%	-28%	-29%	-32%	-30%	17%	-3%	-16%	-11%	-9%	-9%	-41%
Jun 20	-32%	-9%	-29%	-34%	-38%	8%	12%	6%	5%	-8%	-7%	-37%
Jul 20	-46%	-37%	-46%	-47%	-51%	-7%	-18%	-9%	-1%	-25%	-25%	-46%
Aug 20	-43%	-26%	-46%	-54%	-49%	-4%	-6%	-10%	4%	-25%		-43%
Sep 20	-44%	-26%	-52%	-52%	-41%	4%	4%	6%	18%	-25%	-36%	-38%
Oct 20	-38%	-38%	-56%	-57%	-46%	-1%	-10%	-7%	-1%	-18%	-37%	-44%
Nov 20	-51%	-41%	-59%	-61%	-57%	-16%	-22%	-16%	-10%	-34%	-34%	-50%
Dec 20	-51%	-44%	-59%	-65%	-51%	-14%	21%	30%	19%	-25%	-39%	-56%
Jan 21	-52%	-48%	-70%	-64%	-54%	-8%	-8%	-4%	8%	-24%	-42%	-58%
Feb 21	-56%	-48%	-61%	-66%	-55%	-13%	-4%	7%	15%	-30%	-48%	-55%
Mar 21	-52%	-47%	-61%	-62%	-51%	0%	-11%	-19%	-2%	-18%	-36%	-56%
Apr 21	-56%	-56%	-74%	-67%	-59%	-6%	-28%	-29%	-15%	-26%	-48%	-61%
May 21	-60%	-48%	-68%	-71%	-59%	2%	-12%	-21%	-12%	-25%	-45%	-60%
Jun 21	-57%	-44%	-62%	-71%	-59%	6%	17%	33%	27%	-14%	-39%	-56%
Jul 21	-63%	-62%	-74%	-75%	-65%	-4%	-37%	-35%	-20%	-32%	-46%	-65%
Aug 21	-51%	-42%	-71%	-74%	-64%	4%	17%	20%	41%	-16%	-43%	-55%
Sep 21	-55%	-48%	-70%	-73%	-61%	15%	-20%	-18%	5%	-26%	-47%	-60%
Oct 21	-54%	-57%	-77%	-75%	-59%	-16%	-33%	-38%	-22%	-31%	-53%	-66%
Nov 21	-60%	-55%	-73%	-75%	-63%	9%	-16%	-24%	-9%	-37%	-47%	-62%
Dec 21	-72%	-58%	-75%	-73%	-59%	20%	-1%	-16%	8%	-28%	-40%	-67%
Jan 22	-67%	-61%	-74%	-72%	-58%	0%	-13%	-14%	10%	-39%	-41%	-68%
<b>Cumulative</b>	<b>-51.1%</b>	<b>-43.1%</b>	<b>-60.2%</b>	<b>-61.9%</b>	<b>-52.7%</b>	<b>2.2%</b>	<b>-9.1%</b>	<b>-9.3%</b>	<b>1.6%</b>	<b>-22.7%</b>	<b>-34.7%</b>	<b>-53.6%</b>

# ZAMFARA



## Profile of Essential Health Service Utilization

### Outpatient disruptions and COVID-19 (726 health facilities)


Cumulative shortfall: -25.4%




### Affected services



### Data completeness



### ZAMFARA disruptions compared to average range of disruptions in all states




# ZAMFARA

## Profile of Essential Health Service Utilization

### Family Planning (434 HFIs)


Cumulative shortfall: -28.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC1 (370 HFIs)


Cumulative shortfall: -10.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### ANC4 (353 HFIs)

Cumulative shortfall: -1.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Delivery (244 HFIs)


Cumulative shortfall: -0.9%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### EBF (303 HFIs)

Cumulative shortfall: 26.8%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### BCG (697 HFIs)


Cumulative shortfall: -3.7%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Hyper tension (445 HFIs)

Cumulative shortfall: -6.4%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Penta 3 (699 HFIs)


Cumulative shortfall: 0.1%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

### Measles 1 (697 HFIs)

Cumulative shortfall: 4.2%



Jul 18 Apr 19 Jan 20 Oct 20 Jul 21

	Outpatient	ANC1	ANC4	Delivery	PNC	EBF	BCG	Measles 1	Penta 3	Diarrhea U5	Hyper tension	Family Planning
Mar 20	-7%	3%	32%	1%	27%	50%	19%	11%	8%	42%	0%	-2%
Apr 20	-12%	-16%	16%	-1%	1%	36%	-3%	6%	3%	27%	14%	-9%
May 20	-28%	-32%	-31%	-11%	-19%	36%	-18%	-9%	-11%	19%	-14%	-28%
Jun 20	-26%	-2%	21%	-3%	-16%	34%	-4%	16%	5%	29%	-6%	-11%
Jul 20		-19%	1%		-9%	-9%	-14%	-10%	-12%	7%		-28%
Aug 20	-22%	5%	8%	-4%	-15%	25%	-25%	-16%	-18%	5%	-1%	-16%
Sep 20	-23%	3%	20%	-2%	-8%	30%	-7%	-2%	-5%	34%	14%	-19%
Oct 20	-23%	-6%	12%	-3%	3%	-6%	34%	59%	38%	29%	4%	-11%
Nov 20	-23%	-5%	5%	-4%	-6%	-4%	32%	52%	46%	25%	-13%	-21%
Dec 20	-19%	10%	-4%	5%	4%	41%	24%	51%	38%	37%	3%	-21%
Jan 21	-25%	-13%	-19%	3%		-4%	-8%	-4%	-8%		3%	-38%
Feb 21	-32%	-6%	-37%	-2%	7%	52%	-4%	-11%	-12%	43%	-1%	-40%
Mar 21	-32%	-6%	32%	-1%	30%	114%	10%	4%	6%	86%	-8%	-37%
Apr 21	-36%	-25%	0%	2%	45%	44%	-5%	10%	11%	63%	-14%	-43%
May 21	-38%	-18%	-5%	-5%	24%	35%	-14%	-3%	-8%	63%	-5%	-39%
Jun 21	-39%	-15%	18%	-5%	33%	-8%	7%	3%	-5%	66%	-13%	-32%
Jul 21	-34%	-32%	-6%	0%	31%	18%	-22%	-21%	-23%	31%	-28%	-46%
Aug 21	-22%			-5%	45%	30%	-15%	-8%	-3%	79%	-17%	
Sep 21						91%				92%		
Oct 21			13%	-2%	44%	22%				98%	-7%	-36%
Nov 21		-3%	-9%	1%	62%	8%				117%		
Dec 21	-14%	-4%	-7%	13%	65%	48%	-33%	-32%	-30%	83%	-11%	-50%
Jan 22	-20%	-17%	-27%	8%	51%	103%	-22%	-12%	-19%	162%	-21%	
<b>Cumulative</b>	<b>-25.4%</b>	<b>-10.2%</b>	<b>-1.1%</b>	<b>-0.9%</b>	<b>17.4%</b>	<b>26.8%</b>	<b>-3.7%</b>	<b>4.2%</b>	<b>0.1%</b>	<b>56.1%</b>	<b>-6.4%</b>	<b>-28.9%</b>